AVIO 200/500 ICP-OES CONSUMABLES AND SUPPLIES





Consumables and Supplies Reference Guide

INTRODUCTION AND OVERVIEW

The Avio[™] 200/500 ICP-OES consumables are designed with your instrument in mind. Each part is fit to perform and manufactured with the highest quality materials available. Whether you are looking for sample introduction components or standards, we have the consumables you need to keep your Avio 200/500 up and running.



Table of Contents


Demountable Torches	3
Quartz Torches	3
Torch O-Rings and Removal Tool	3
Torch Body Assemblies	3
Torch Modules	4
Torch Modules for Avio 200	4
Torch Modules for Avio 500	4
Nebulizers	5
MEINHARD® Nebulizers	5
MEINHARD [®] Nebulizer Parts	5
End Cap for Concentric Glass, GemCone and Similar Nebulizers	5
MicroMist Nebulizer	5
SeaSpray Nebulizers	5
Mira Mist, Ari Mist, and T2100 Nebulizers	5
MicroFlow Nebulizers	5
GemCone [™] and GemTip Nebulizers	6
GemTip Cross-Flow II Nebulizers	5
Spray Chambers	6
Baffled Cyclonic Spray Chambers	6
Scott Spray Chamber	6

Injectors and Injector Support Adapters	7
Alumina Injectors	7
Quartz Injectors	7
Sapphire Injectors	7
Injector Support Adapter Kits and O-Rings	7
Sample Introduction Kits	8
Cyclonic/Concentric Kit	8
Scott/Cross-Flow II Kit	8
Organics Kit	8
Purge Components	8
Autosampler Tubes	9
Spares	9
Pump Tubing	9
Internal Standard Kits	10
PerkinElmer Pure Standards	11
Single-Element Standards	11
Multi-Element Standards	11
Interference Check Standards	13


Demountable Torches

Demountable design using one-piece quartz tubing for plasma and auxiliary gas flow. Available in a wide range of styles from 1-3 slots, depending on your application needs. 1-slot torches are the standard torch for aqueous solutions. 3-slot torches are typically used for organic analysis.





Avio 200 Torch Body Assembly (N0790138)



Quartz Torches

Description	# of Slots	Part No.
Standard	1	N0790131
Hybrid XLT Organics (not ceramic)	3	N0790249

Torch O-Rings and Removal Tool

# of Slots	Qty	Part No.
O-Ring Kit for Adjustable Torch		N0790437
Includes:		
O-Ring – 0.799 ID 0.103 WD	2	09902223
O-Ring – 0.101 ID 0.070 WD	2	N0791334
O-Ring Kit for Scott Injector		N0790440
Includes:		
O-Ring - 8.74 ID 1.78 WD	2	09200518
O-Ring - 0.239 ID 0.70 WD	2	09902207
O-Ring - 0.344 ID 0.070 WD	2	N0791333
O-Ring Kit for Cyclonic Injector		N0790441
Includes:		
O-Ring - 0.239 ID 0.70 WD	2	09902207
O-Ring - 0.301 ID 0.70 WD	2	09926070
O-Ring - 0.344 ID 0.070 WD	2	N0791333
O-Ring Removal Tool		09920410

Torch Body Assemblies

Description	Part No.
Torch Body Assembly for Avio 200	N0790138
Torch Body Assembly for Avio 500	N0810128

Torch Modules





Torch Modules for Avio 200

Quick Change Torch Module -	N0790606
Scott Spray Chamber/Cross-Flow Nebuli	zer
Includes: GemTip Cross-Flow Nebulizer	(N0780546), 1-Slot
Quartz Torch (N0790131), 2.0 mm Alur	mina Injector (N0791183),
Scott Spray Chamber (N0791499).	
Quick Change Torch Module -	N0790607
Cyclonic Spray Chamber/Concentric Net	oulizer
Includes: Type K1 Standard Nebulizer (N	10777707), 1-Slot
Quartz Torch (N0790131), 2.0 mm Alur	mina Injector (N0791183), Baffle
Cyclonic Spray Chamber (N0791352).	

Description	Part No.
Quick Change Torch Module -	N0810606
Scott Spray Chamber/Cross-Flow Nebulize	r
Includes: GemTip Cross-Flow Nebulizer (N	0780546), 1-Slot
Quartz Torch (N0790131), 2.0 mm Alumir	na Injector (N0791183),
Scott Spray Chamber (N0791499).	
Quick Change Torch Module -	N0810607
Cyclonic Spray Chamber/Concentric Nebul	izer
Includes: Type K1 Standard Nebulizer (N0)	777707), 1-Slot
Quartz Torch (N0790131), 2.0 mm Alumir	na Injector (N0791183), Baffi
Cyclonic Spray Chamber (N0791352).	

Nebulizers

PerkinElmer offers high-quality sample introduction components for a wide variety of applications.



MEINHARD® Nebulizers

Provide excellent sensitivity and precision for aqueous solutions and samples with few dissolved solids (less than 1%). MEINHARD® Nebulizers are self-aspirating and must not be used with solutions containing hydrofluoric acid. All require an end cap for use with Ryton® Scott spray chambers.

Туре	Application	Part No.
Type K1 (standard)	Ar low-flow, High dissolved solids	N0777707
Туре КЗ	Reduced flow, and organics	N0681574

MEINHARD® Nebulizer Parts

Description	Part No.
Liquid-End Connector Kit, 10" length by 0.020" ID x 0.062" OD	N0791018
Nebulizer Clip for MEINHARD [®] Nebulizers	N0777460

End Cap for Concentric Glass, GemCone and Similar Nebulizers

Description	Part No.
Scott Spray Chamber End Cap	N0680504

MicroMist Nebulizers

Ar Flow Rate	Uptake Rate	Part No.
0.7 L/min	0.05 mL/min	N0775349
0.7 L/min	0.1 mL/min	N0775348
0.7 L/min	0.2 mL/min	N0775347
0.7 L/min	0.6 mL/min	N0775346

SeaSpray Nebulizers

Ar Flow Rate	Uptake Rate	Part No.
0.7 L/min	2 mL/min	N0775345

PEEK MiraMist® Nebulizer

The MiraMist[®] fits regular spray chambers as a direct replacement for glass concentric nebulizers. Its features include standard pressure (45 psi), low sample flow and enhanced parallel path design.

		1 1 5
Description	Uptake Rate	Part No.
PEEK MiraMist®	0.2 to 2.5 mL/min	N0775330
PTFE Mira Mist	0.02 to 2.5 mL/min	N0777031
Ari Mist	0.05 to 1.0 mL/min	N0777032
T2100	0.5 to 3.0 mL/min	N0777033



MicroFlow Nebulizers

MicroFlow nebulizers are constructed entirely from chemically resistant fluoropolymers, ideal for strong acids, alkalis, organics, high salt solutions and high solid concentrations. They are resistant to clogging, are reliably self-aspirated or pumped and produce a fine aerosol for high transport efficiency and high sensitivity.

Description	Part No.
PolyPro ST Nebulizer	N0777219
PFA-ST Nebulizer	N0777049
PFA-ST3 Microflow Nebulizer	N0777676





Nebulizers, continued



GemCone[™] and GemTip Nebulizers

Low-Flow GemCones[™] permit lower nebulizer gas flow rates, useful for spectral lines with high excitation energies and for providing a more robust plasma. GemCone[™] Nebulizers require an end cap for use with Ryton Scott Spray Chambers.

Description	Part No.
GemCone [™] Low-Flow Nebulizer	N0770358
GemCone [™] High Dissolved Solids	N0690670
GemCone [™] Sample Capillary Adapter	N0371505
Scott Spray Chamber End Cap for GemCone [™] Nebulizers	N0680504
Quick Disconnect Tubing	N0770336



GemTip[™] Cross-Flow II Nebulizers

Excellent general purpose nebulizer for the analysis of strong mineral acids (including HF) and samples with less than 5% dissolved solids.

Description	Part No.
GemTip™ Cross-Flow II Nebulizer	N0780546
GemTip™ Cross-Flow II Tip Kits	N0780676
GemTip [™] Cross-Flow Nebulizer O-Ring Kit Includes: 09902001 qty. 2, 09902033 qty. 2, 09902151 qty. 3, 09921003 qty. 1, 3 cm of Teflon [®] sample tubing.	N9300067

Spray Chambers

The spray chamber is an integral part of the sample introduction system responsible for filtering the sample mist to permit the appropriate droplet size distribution to reach the plasma.



Cyclonic Spray Chambers

Description	Part No.
Baffled Cyclonic (Standard)	N0791352
HF Resistant Cyclonic Spray Chamber TFE PTFE O-Ring free, 50 mL with grounding strap included.	N0790373
Nebulizer Spacer	N0791438
Extra Metal Clip	09200593



Scott Spray Chamber

The Scott Spray Chamber is corrosion-resistant and is inert to most mineral acids including HF, aqua regia and all organic solvents normally used in ICP analyses.

Description	Part No.
Scott Spray Chamber	N0790384
Scott Spray Chamber Clamp Adapter	N0790296

Injectors and Injector Support Adapters








Alumina injectors are corrosion-resistant to all mineral acids including HF and aqua regia. They are also used with less volatile organic solvents, e.g., xylene.

Dimensions	Part No.
0.80 mm i.d.	N0791180
1.2 mm i.d.	N0791181
1.2 mm i.d. (1.2 mm entire length of tube)	N0791182
2.0 mm i.d. (standard with Avio instrument)	N0791183

Quartz Injectors

Quartz injectors are designed for organic solvents and non-HF matrices.

Dimensions	Part No.
0.80 mm i.d.	N0791185
1.2 mm i.d	N0791186
1.2 mm i.d. (1.2 mm entire length of tube)	N0791187
1.6 mm i.d.	N0791188
2.0 mm i.d.	N0791189
3.0 mm i.d.	N0791190



Sapphire Injectors

Sapphire injectors are ideal for silicon applications.

Dimensions	Part No.
2.0 mm i.d.	N0791184

Injector Support Adapter Kits and O-Rings

Dimensions	Part No.
Injector Adapter Kit-Cyclonic (includes o-rings)	N0790141
Injector Adapter Kit-Scott (includes o-rings)	N0790156
Injector Adapter O-Ring Kit Cyclonic	N0790441
(Includes: 09902207 qty. 2, 09926070 qty. 2, N0791333 qty. 2)	
Injector Adapter O-Ring Kit Scott	N0790440
(Includes: 09902207 qty. 2, 09200518 qty. 2, N0791333 qty. 2)	

Sample Introduction Kits



Cyclonic/Concentric Kit

N0790608 N0790131
N0790131
N0790131
N0791183
N0791352
N0777707
N0790141

Scott/Cross-Flow II Kit

	Part No.
Scott/Cross-Flow II Kit*	N0790609
Includes:	
1 Slot Quartz Torch	N0790131
2.0 mm i.d. Alumina Injector	N0791183
Scott Spray Chamber*	N0790384
GemTip [™] Cross-Flow II Nebulizer	N0780546
Injector Adapter	N0790156
Scott Spray Chamber Clamp Adapter	N0790296
*Includes one of each.	

Organics Kit

	Qty.	Part No.
Drganics Kit		N0790610
Includes:		
3 Slot Quartz Torch	2	N0790249
1.2 mm i.d. Alumina Injector	2	N0791181
Baffled Cyclonic Spray Chamber	1	N0791352
GemCone [™] Low-Flow Nebulizer	1	N0770358
Cyclonic Spray Chamber Adapter	1	N0790141
Nebulizer Spacer	1	N0791438

Purge Components



Axial Window

Purge Components

Description/ICP Model	View	Part No.
Purge Window Avio 200/500	Axial	09992731
Purge Window Avio 200	Radial	N0690672
Purge Window Avio 500	Radial	N0810346
Optical Kit (incl. Windows O-Rings) Avio 200	Axial/Radial	N0790439
Axial Flat Mirror Kit Avio 200	Axial	N0790196
Optical Kit (incl. Windows and O-Rings) Avio 500	Axial/Radial	N0810439
Flat Mirror Kit Avio 500	Axial	N0810194

Autosampler Tubes



Autosampler Graduated Tubes with Red Caps

Capacity	Size	Туре	Qty	Part No.
15 mL*	17 mm x 120 mm	Conical Bottom	500/50 per bag	B0193233
50 mL*	28 mm x 115 mm	Conical/Freestanding	500/25 per bag	B0193234

Autosampler Tubes

Capacity	Size	Туре	Qty	Part No.
8 mL	13 mm x 100 mm	Round Bottom	1,200 bulk	N0777156
15 mL	17 mm x 100 mm	Round Bottom	1,200 bulk	N0777167
	Plugs for N0777167	(blue) Plugs Only	1,200 bulk	N0777599
	Plugs for N0777071	(white) Plugs Only	1,000 bulk	N0777072
50 mL*	30 mm x 115 mm	Conical	500 bulk with teal flat caps	N0777693
50 mL*	30 mm x 115 mm	Conical	500/50 per bag with teal flat caps	N0777691

*Graduated tubes

Spares



Spares

Description	Part No.
Air Filter (intake) – Requires 2	09995098
Air Filter Assembly for Instrument Air Supply	N0775325
Replacement Air Filter Element for N0775325	N9306067
Polyscience WhisperCool Chiller Replacement Air Filter	N0777095
Chiller Coolant Mix 30 Plus-Five 1/2 Gallons	N0776200


Pump Tubing



i.d. (mm)	Stop Colors	Standard PVC (Pkg 12)	Flared PVC (Pkg 12)	Solvent Flex (Pkg 12)	Viton® (Pkg 12)	Santoprene [®] (Pkg 12)	Silicone (Pkg 6)
0.19	orange red	N0695476	N0773111				
0.25	orange blue	N0773117	N0773112				
0.38	orange green	N0777110	N0777042	N0773113			
0.44	green yellow		N0773113				
0.51	orange yellow		N0777476		N0777446		
0.64	orange white		N0777711				
0.76	black black	09908587	N0777043	00473550	N0773118		00473552
1.02	white white				N0777442		N0777441
1.14	red red	09908585		09923037	N0773115	N0773119	N0691595
1.30	gray gray				N0777445	N0777444	N0777443
1.42	yellow yellow	N0777521					
1.52	yellow blue	09923536					
1.65	blue blue				N0777447		
1.85	green green	N0777518				N0773116	
2.06	purple purple	N0777561					
2.79	purple white			02508080			09923448
3.18	black white	N8122012					


Internal Standard Kits

In-line Standard Additions kits, one which includes a glass mixing chamber/combiner for solutions which do not contain HF and another which includes an inert mixing chamber/combiner. Both kits are completely modular so that damaged or worn components can easily be replaced. The heart of the kit is the mixing chamber/combiner. It is designed for zero dead volume on the input ends which accommodate the sample and addition lines. The output end is designed with a small mixing chamber so that the sample and added reagent are intimately mixed prior to introduction to the nebulizer. All connections to the mixing chamber/combiner use EzyFit connectors. A sampling probe for the reagent addition bottle is included so that it remains well anchored in the bottle. Inline addition of internal standards and ionization buffers provides an efficient means of accurately and precisely dosing all of your samples without extra effort or the risk of error or contamination. Internal standardization is often used to compensate for physical and mass-space interferences in ICP spectrometry. In many cases, it also enhances short-term and long-term reproducibility.



HF-Resistant Internal Standard Kit

iption	Part No.
sistant Internal Standard Kit	N0774067
ludes:	
Mixing T-piece	N0777466
rnal Standard Sample Probe 0.25 mm ID	N0777465
Fit Sample Tube 0.5 mm ID	N0777463
Fit-EzyFit Sample Tube	N0777061
Fit Internal Standard Tube 0.25 mm ID	N0777464
ex® Gripper Paper - Qty. 6	N0777848
nge-Blue Flared End PVC Tubing 5 mm ID – Qty. 12	N0773112



Non HF-Resistant Internal Standard Kit

Description	Part No.
Non HF-Resistant Internal Standard Kit	N0774068
Includes:	
EzyFit Glass Mixing T-piece	N0777461
Internal Standard Sample Probe 0.25 mm ID	N0777465
EzyFit Sample Tube - Twin	N0777462
EzyFit Sample Tube 0.5 mm ID	N0777463
EzyFit Internal Standard Tube 0.25 mm ID	N0777464
Vitex [®] Gripper Paper - Qty. 6	N0777848
Orange-Blue Flared End PVC Tubing 0.25 mm ID – Qty. 12	N0773112
UniFit-EzyFit Sample Tube	N0777061

PerkinElmer Pure Standards



Single-Element Standards – 1,000 µg/mL

Whatever your application, you can depend on PerkinElmer Pure Standards to yield reliable, accurate results. PerkinElmer offers a wide selection of atomic spectroscopy calibration standards. Each solution is supplied with a comprehensive Certificate of Analysis that documents the quality and reliability. Please visit our website for a complete listing of Atomic Spectroscopy Standards.

Element	Symbol	Matrix	125 mL Part No.	500 mL Part No.
Aluminum	Al	2% HNO₃	N9300184	N9300100
Cadmium	Cd	2% HNO₃	N9300176	N9300107
Calcium	Ca	2% HNO₃	N9303763	N9300108
Chromium	Cr	2% HNO₃	N9300173	N9300112
Copper	Cu	2% HNO₃	N9300183	N9300114
Iron	Fe	2% HNO₃	N9303771	N9300126
Lead	Pb	2% HNO₃	N9300175	N9300128
Mercury	Hg	10% HNO3	N9300174	N9300133
Sodium	Na	2% HNO₃	N9303785	N9300152
Zinc	Zn	2% HNO₃	N9300178	N9300168

Multi-Element Standards

Matrix	Contents	Vol.	Part No.
Multi-Element Solutio	on 1		
2% HNO ₃	10 μg/mL: Be, Bi, Ce, Co, In, Mg, Ni, Pb, U	125 mL	N9300231
Multi-Element Solutio	on 2		
5% HNO₃	10 μg/mL: Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, Y, Yb	125 mL	N9300232
Multi-Element Solutio	on 3		
5% HNO ₃	10 µg/mL: Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cs, Cu, Fe, Ga, Hg*, In, K, Li, Mg, Mn, Na, Ni, Pb, Rb, Se, Sr, Tl, U, V, Zn <i>*Supplied in separate bottle</i> .	125 mL	N9300233
Multi-Element Solution	on 3 without Mercury		N9301720
Multi-Element Solution	on 4		
5% HCl/1% HNO₃	10 μg/mL: Au, Hf, Ir, Pd, Pt, Rh, Ru, Sb, Sn, Te	125 mL	N9300234
Multi-Element Solution	on 5		
H₂O/tr HF	10 μg/mL: Β, Ge, Mo, Nb, Ρ, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235
PerkinElmer Pure I			
5% HNO₃	400 μg/mL: Tl 200 μg/mL: Bi, In, Pb 150 μg/mL: Ga 100 μg/mL: Al 50 μg/mL: Ag, Ni 25 μg/mL: Cr 20 μg/mL: Cd, Co, Cu, Zn 15 μg/mL: B, Fe 5 μg/mL: Ba, Mn 1 μg/mL: Be, Sr	125 mL	N9303940

PerkinElmer Pure Standards, continued

Multi-Element Standards, continued

Matrix	Contents	Vol.	Part No.
PerkinElmer Pure IV			
10% HNO₃	1000 µg/mL: Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, 125 mL K, Li, Mg, Mn, Na, Ni, Pb, Sr, Tl, Zn	125 mL	N9303941
PerkinElmer Pure VIII			
5% HNO₃	100 µg/mL: Al, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, 125 mL Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Te, Tl, Zn	125 mL	N9303942
PerkinElmer Pure IX			
5% HNO₃	100 μg/mL: As, Be, Pb, Cd, Cr, Ni, Se, Tl	125 mL	N9303943
Mercury	100 μg/mL		
5% HNO₃	100 µg/mL: Mercury in 5% HNO₃	125 mL	N9300223
PerkinElmer Pure X			
2% HNO₃	35,000 ug/L: Ca 15,000 ug/L: Mg 8,000 ug/L: Na 3,000 ug/L: K 100 ug/L: B, Fe, Mo, Sr 50 ug/L: As, Ba, Ni, V, Zn 30 ug/L: Mn 25 ug/L: Co, Pb 20 ug/L: Be, Cd, Cr, Cu 10 ug/L: Bi, Se, Tl	125 mL	N9303944
Mercury	8 μg/mL		
5% HNO₃	8 μ g/mL: Mercury in 5% HNO ₃	125 mL	N9303954
PerkinElmer Pure XI			
5% HNO₃	2500 μg/mL: Zn 900 μg/mL: Cr, Pb 800 μg/mL: Cu 200 μg/mL: Ni 10 μg/mL: Cd	125 mL	N9303945
Mercury	5 μg/mL		
5% HNO₃	5 μ g/mL: Mercury in 5% HNO ₃	125 mL	N9303949
PerkinElmer Pure XIII			
5% HNO₃	500 µg/mLL: Al 250 µg/mL: V 100 µg/mL: As, Be, Co, Cr, Cu, Fe, Mn, Ni, Pb, Zn 25 µg/mL: Cd, Se	125 mL	N9303946
PerkinElmer Pure XVII			
15% HCL/trace HF	100 μg/mL: Hf, Ir, Sb, Sn, Ta, Ti, Zr	125 mL	N9303948

Interference Check Standards

PerkinElmer Pure Standards, continued

Matrix	Contents	Vol.	Part No.
Interferents A			
5% HNO ₃	5,000 μg/mL: Al, Ca, Mg 2,000 μg/mL: Fe	500 mL	N9300226
Alternate Interfere	nts A		
5% HNO₃	1,000 μg/mL: Cr, Cu, Mn, Ni, Ti, V	500 mL	N9300228
Analytes B			
5% HNO ₃ /trTartari	c Acid/tr HF	125 mL	N9300227
	100 µg/mL: Cd, Ni, Zn 60 µg/mL: Sb 50 µg/mL: Ba, Be, Co, Cr, Cu, Mn, V 20 µg/mL: Ag 10 µg/mL: As, Tl		
Alternate Analytes	В		
5% HNO ₃ /tr Tartar	ic Acid/tr HF	125 mL	N9300229
	100 μg/mL: Al, As, B, Mo, Na, Sb, Se, Tl 10 μg/mL: Ca, Fe, Mg, Si		

Every day, you can count on PerkinElmer to provide you with solutions that deliver reliable performance, control operating costs and maximize operational time. Our complete portfolio of consumables, parts, supplies, training and service helps you meet both routine and demanding measurement challenges. We invest heavily in testing and validating our products to ensure you receive guaranteed compatibility and performance – on-time, for every instrument in your laboratory.

For a complete listing of consumables and supplies, please visit www.perkinelmer.com/supplies

PerkinElmer, Inc. 940 Winter Street Waltham, MA 02451 USA P: (800) 762-4000 or (+1) 203-925-4602 www.perkinelmer.com



For a complete listing of our global offices, visit www.perkinelmer.com/ContactUs

Copyright @2016-2017, PerkinElmer, Inc. All rights reserved. PerkinElmer® is a registered trademark of PerkinElmer, Inc. All other trademarks are the property of their respective owners.

PKI



Optima[®] 8x00 ICP-OES

Demountable Torches

Demountable design using one-piece quartz tubing for plasma and auxiliary gas flow. Available in a wide range of styles from 0-3 slots, depending on your application needs. Torches without slots are recommended for organic solvents. 1-slot torches are the standard torch for aqueous solutions. 3-slot torches are typically used for organic analysis.



Quartz Torches	
-----------------------	--

N0780133
N0780130
N0780132

Description	Part No.
Copper Ignitor Tape – Qty. 50 pcs.	N0781097

Torch O-Rings

Description	Qty	Part No.
O-Ring Kit for Adjustable Torch		N0780437
Includes:		
O-Ring – 1.171 ID 0.139 WD	1	09902131
O-Ring – 0.799 ID 0.103 WD	2	09902223
O-Ring – 1.109 ID 0.139 WD	1	09921061
O-Ring – 1.046 ID 0.139 WD	1	09921062
Silicone O-Ring lube 2 grams	1	09200078


HybridXLT™ Torch

The new ceramic/quartz hybrid design provides the highest performance for your Optima® ICP-OES 8x00 spectrometer with an extended lifetime of up to 10 x your current quartz torch. The HybridXLT Torch gives you a viewable plasma compared to a full ceramic design, and is ideal for all sample types, except organic solvents.



HybridXLT Torch

Description	Part No.
HybridXLT 1-Slot Torch	N0780128






Nebulizers

PerkinElmer offers high-quality sample introduction components for a wide variety of applications.













MEINHARD[®] Nebulizers

Provide excellent sensitivity and precision for aqueous solutions and samples with few dissolved solids (less than 1%). MEINHARD Nebulizers are self-aspirating and must not be used with solutions containing hydrofluoric acid. All require an end cap for use with Ryton[®] Scott spray chambers.

Туре	Application	Part No.
Type A	General purpose	00472020
Type K1 (standard)	Ar low-flow, High dissolved solids	N0777707
Type K3	Reduced flow, and organics	N0681574

MEINHARD Nebulizer Parts

Description	Part No.
Liquid-End Connector Kit, 4 mm	N0777414
Nebulizer Clip for MEINHARD Nebulizers	N0777460

End Cap for Concentric Glass Nebulizers

Description	Part No.
End Cap	N0680504

MicroMist Nebulizers

Ar Flow Rate	Uptake Rate	Part No.
0.7 L/min	0.05 mL/min	N0775349
0.7 L/min	0.1 mL/min	N0775348
0.7 L/min	0.2 mL/min	N0775347
0.7 L/min	0.6 mL/min	N0775346
0.7 L/min Requires Quick Disconnect Part N	····,	

SeaSpray Nebulizers

Air Flow Rate	Uptake Rate	Part No.
0.7 L/min	2 mL/min	N0775345

PEEK MiraMist® Nebulizer

The MiraMist fits regular spray chambers as a direct replacement for glass concentric nebulizers. Its features include standard pressure (45 psi), low sample flow and enhanced parallel path design.

Description	Uptake Rate	Part No.
PEEK MiraMist	0.2 to 2.5 mL/min	N0775330

MicroFlow Nebulizers

MicroFlow nebulizers are constructed entirely from chemically resistant fluoropolymers, ideal for strong acids, alkalis, organics, high salt solutions and high solid concentrations. They are resistant to clogging, are reliably self-aspirated or pumped and produce a fine aerosol for high transport efficiency and high sensitivity.

Description	Part No.
PolyPro ST Nebulizer	N0777219
PFA-ST Nebulizer	N0777049
PFA-ST3 Microflow Nebulizer	N0777676


GemCone[™] and GemTip Nebulizers

Low-flow GemCones permit lower nebulizer gas flow rates, useful for spectral lines with high excitation energies and for providing a more robust plasma. GemCone Nebulizers require an end cap for use with Ryton Scott Spray Chambers.

Description	Part No.
GemCone Low-Flow Nebulizer	N0770358
GemCone High Dissolved Solids	N0690670
GemCone Sample Capillary Adapter	N0371505
End Cap for GemCone Nebulizers	N0680504
Quick Disconnect Tubing	N0770336



Nebulizers, continued



Spray Chambers

GemTip Cross-Flow II Nebulizers

Excellent general purpose nebulizer for the analysis of strong mineral acids (including HF) and samples with less than 5% dissolved solids.

Part No.
N0780546
N0780676
N9300067

The spray chamber is an integral part of the sample introduction system responsible for filtering the sample mist to permit the appropriate droplet size distribution to reach the plasma.



Cyclonic Spray Chambers

Description	Part No.
Standard	N0776052
O-Ring Free	N0775351
HF Resistant	N0777496

Unifit Drain Connectors with Tubing for Cyclonic Spray Chambers

Sample Tube Size	Qty	Part No.
1/16 in. o.d. x 0.75 mm i.d. x 700 mm	3	N0774080
1.3 mm o.d. x 0.75 mm i.d. x 700 mm	3	N0774077





Baffled Cyclonic Spray Chambers

Description	Part No.
Standard	N0776053
O-Ring Free	N0775352
O-Ring free for Oil Analysis (4 mm baffle)	N0775355
Standard for Oil Analysis (4 mm baffle)	N0776090
Standard (7 mm baffle)	N0777036

Scott Spray Chamber

The Scott Spray Chamber is corrosion-resistant and is inert to most mineral acids including HF, aqua regia and all organic solvents normally used in ICP analyses.

Description	Part No.
Scott Spray Chamber	N0770357

Injectors and Injector Support Adapters



Alumina Injectors

Alumina injectors are corrosion-resistant to all mineral acids including HF and aqua regia. They are also used with less volatile organic solvents, e.g., xylene.

Dimensions	Part No.
0.80 mm i.d.	N0781009
1.2 mm i.d.	N0781015
1.2 mm i.d. (1.2 mm entire length of tube)	N0781007
2.0 mm i.d. (standard with Optima instrument)	N0781014

Injectors and Injector Support Adapters, continued



Quartz Injectors

Quartz injectors are designed for organic solvents and non-HF matrices.

Dimensions	Part No.
0.80 mm i.d.	N0781018
1.2 mm i.d.	N0781019
1.2 mm i.d. (1.2 mm entire length of tube)	N0781013
1.6 mm i.d.	N0781016
2.0 mm i.d.	N0781050
3.0 mm i.d.	N0781017



Sapphire Injectors

Sapphire injectors are ideal for silicon applications.

Dimensions	Part No.
2.0 mm i.d.	N0781008

Injector Support Adapter and O-Ring

Description	Part No.
Injector Support Adapter	N0770603
Injector Support Adapter O-Ring	N0770438

Sample Introduction Kits





Cyclonic/Concentric Kit

Part No.
N0780617
N0780130
N0781014
N0776052
N0777707
N0781097


Scott/Cross-Flow II Kit

	Part No.
Scott/Cross-Flow II Kit for Optima 8x00	N0780616
Includes:	
1 Slot Quartz Torch	N0780130
2.0 mm i.d. Alumina Injector	N0781014
Scott Spray Chamber	N0770357
GemTip [™] Cross-Flow II Nebulizer	N0780546
Quartz Torch Copper Ignitor Tape – Qty. 50 pcs.	N0781097

Organics Kit

Qty.	Part No.
	N0780608
2	N0780132
2	N0781007
1	N0776090
1	N0770358
1	N0770614
1	N0776014
1	N0776091
1	N0776025
1	09902207
2	09921028
	2 2 1 1 1 1 1 1 1 1

Purge Windows



Purge Extension Windows

ICP Model	View	Part No.
Optima 2x00/7000/8000	DV Axial	09992731
Optima 2x00/7000/8000	DV Radial	N0690672
Optima 4x00/5x00/7100/7200/7300/8300	DV Axial	N0771116
Optima 5x00/7100/7200/7300/8300	DV Radial	N0770944

Pump Tubing



i.d. (mm)	Stop Colors	Standard PVC (Pkg 12)	Flared PVC (Pkg 12)	Solvent Flex (Pkg 12)	Viton® (Pkg 12)	Santoprene® (Pkg 12)	Silicone (Pkg 6)
0.19	orange red	N0695476	N0773111				
0.25	orange blue	N0773117	N0773112				
0.38	orange green	N0777110	N0777042	N0777874			
0.44	green yellow		N0773113				
0.51	orange yellow		N0777476		N0777446		
0.64	orange white		N0777711				
0.76	black black	09908587	N0777043	00473550	N0773118		00473552
1.02	white white				N0777442		N0777441
1.14	red red	09908585		09923037	N0773115	N0773119	N0691595
1.30	gray gray				N0777445	N0777444	N0777443
1.42	yellow yellow	N0777521					
1.52	yellow blue	09923536					
1.65	blue blue				N0777447		
1.85	green green	N0777518				N0773116	
2.06	purple purple	N0777561					
2.79	purple white			02508080			09923448
3.18	black white	N8122012					

Autosampler Tubes



Autosampler Graduated Tubes with Red Caps

Capacity	Size	Туре	Qty	Part No.
15 mL*	17 mm x 120 mm	Conical Bottom	500/50 per bag	B0193233
50 mL*	28 mm x 115 mm	Conical/Freestanding	500/25 per bag	B0193234

Autosampler Tubes

Capacity	Size	Туре	Qty	Part No.
8 mL	13 mm x 100 mm	Round Bottom	1,200 bulk	N0777156
8 mL	13 mm x 100 mm	Round Bottom	1,000/250 per bag	N0777159
15 mL	17 mm x 100 mm	Round Bottom	1,200 bulk	N0777167
	Plug for 15 mL N0777167 Tubes		1,200 bulk	N0777599
14 mL	17 mm x 100 mm	Round Bottom	1,000/125 per bag	N0777168
16 mL	17 mm x 100 mm	Round Bottom	1,000/125 per bag	N9301205
50 mL*	30 mm x 115 mm	Conical	500 bulk with teal flat caps	N0777693
50 mL*	30 mm x 115 mm	Conical	500/50 per bag with teal flat caps	N0777691

*Graduated

PerkinElmer Pure Standards



Single-Element Standards – 1,000 mg/L

Whatever your application, you can depend on PerkinElmer Pure Standards to yield reliable, accurate results. PerkinElmer offers a wide selection of atomic spectroscopy calibration standards. Each solution is supplied with a comprehensive Certificate of Analysis that documents the quality and reliability. Please visit our website for a complete listing of Atomic Spectroscopy Standards.

Element	Symbol	Matrix	Pure Grade 125 mL Part No.	Pure Grade 500 mL Part No.
Aluminum	Al	2% HNO ₃	N9300184	N9300100
Cadmium	Cd	2% HNO3	N9300176	N9300107
Calcium	Ca	2% HNO ₃	N9303763	N9300108
Chromium	Cr	2% HNO ₃	N9300173	N9300112
Copper	Cu	2% HNO ₃	N9300183	N9300114
Iron	Fe	2% HNO ₃	N9303771	N9300126
Lead	Pb	2% HNO ₃	N9300175	N9300128
Mercury	Hg	10% HNO ₃	N9300174	N9300133
Sodium	Na	2% HNO ₃	N9303785	N9300152
Zinc	Zn	2% HNO ₃	N9300178	N9300168

Universal Data Acquisition Standards Kit

Matrix	Contents	Vol.	Part No.	
Solution Kit (Includes items listed below – 1 bottle of each)				
5% HNO ₃	10 mg/L: Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sm, Sc, Tb, Th, Tm, Y, Yb	125 mL	N9300232	
5% HNO ₃	10 mg/L: Al, Ag, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cs, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Rb, Se, Sr, Tl, V, U, Zn	125 mL	N9300233	
10% HCl/ 1% HNO ₃	10 mg/L: Au, Hf, Ir, Pd, Pt, Rh Ru, Te, Sb, Sn	125 mL	N9300234	
5% HNO ₃	10 mg/L: Hg	125 mL	N9300253	
$\rm H_2O/trHF$	10 mg/L: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235	

Multi-Element Standards

Matrix	Contents	Vol.	Part No.
Multi-Element Solutio	n 1		
2% HNO ₃	10 mg/L: Be, Bi, Ce, Co, In, Mg, Ni, Pb, U	125 mL	N9300231
Multi-Element Solutio	n 2		
5% HNO ₃	10 mg/L: Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, Y, Yb	125 mL	N9300232
Multi-Element Solutio	n 3		
5% HNO ₃	10 mg/L: Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cs, Cu, Fe, Ga, Hg*, In, K, Li, Mg, Mn, Na, Ni, Pb, Rb, Se, Sr, Tl, U, V, Zn *Supplied in separate bottle.	125 mL	N9300233
Multi-Element Solutio	n 3 without Mercury		N9301720
Multi-Element Solutio	n 4		
10% HCl/1% HNO ₃	10 mg/L: Au, Hf, Ir, Pd, Pt, Rh, Ru, Sb, Sn, Te	125 mL	N9300234
Multi-Element Solutio	n 5		
$\rm H_2O/tr HF$	10 mg/L: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235

Matrix	Contents	Vol.	Part No.
PerkinElmer Pure I			
5% HNO ₃	400 mg/L: Tl	125 mL	N9303940
	200 mg/L: Bi, In, Pb		
	150 mg/L: Ga		
	100 mg/L: Al		
	50 mg/L: Ag, Ni		
	25 mg/L: Cr		
	20 mg/L: Cd, Co, Cu, Zn		
	15 mg/L: B, Fe		
	5 mg/L: Ba, Mn		
	1 mg/L: Be, Sr		
PerkinElmer Pure IV			
10% HNO ₃	1000 mg/L: Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Tl, Zn	125 mL	N930394
PerkinElmer Pure VIII			
5% HNO ₃	100 mg/L: Al, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Te, Tl, Zn	125 mL	N9303942
PerkinElmer Pure IX			
5% HNO ₃	100 mg/L: As, Be, Pb, Cd, Cr, Ni, Se, Tl	125 mL	N9303943
Mercury	100 mg/L		
5% HNO ₃	100 mg/L: Mercury in 5% HNO ₃	125 mL	N930022
PerkinElmer Pure X	<i>, , , , , , , , , , , , , , , , , , , </i>		
2% HNO ₃	35,000 ug/L: Ca	125 mL	N930394
270 111103	15,000 ug/L: Mg	125 1112	1930394
	8,000 ug/L: Na		
	3,000 ug/L: K		
	100 ug/L: B, Fe, Mo, Sr		
	50 ug/L: As, Ba, Ni, V, Zn		
	30 ug/L: Mn		
	25 ug/L: Co, Pb		
	20 ug/L: Be, Cd, Cr, Cu		
	10 ug/L: Bi, Se, Tl		
Mercury	8 mg/L		
5% HNO ₃	8 mg/L: Mercury in 5% HNO ₃	125 mL	N9303954
	o mg/ D. Mercury m 5/0 m vo3	125 1112	10/303/3
PerkinElmer Pure XI	2500	125 m I	NO20204
5% HNO ₃	2500 mg/L: Zn	125 mL	N930394
	900 mg/L: Cr, Pb		
	800 mg/L: Cu		
	200 mg/L: Ni		
	10 mg/L: Cd		
Mercury	5 mg/L		
5% HNO ₃	5 mg/L: Mercury in 5% HNO ₃	125 mL	N9303949
PerkinElmer Pure XIII			
5% HNO ₃	500 mg/L: Al	125 mL	N930394
	250 mg/L: V		
	100 mg/L: As, Be, Co, Cr, Cu, Fe, Mn, Ni, Pb, Zn 25 mg/L: Cd, Se		
PerkinElmer Pure XVII			

Multi-Element Standards, continued

Interference Check Standards

Matrix	Contents	Vol.	Part No.
Interferents A			
5% HNO ₃	5,000 mg/L: Al, Ca, Mg 2,000 mg/L: Fe	500 mL	N9300226
Alternate Interfere	nts A		
5% HNO ₃	1,000 mg/L: Cr, Cu, Mn, Ni, Ti, V	500 mL	N9300228
Analytes B			
5% HNO ₃ /trTarta	ric Acid/tr HF 100 mg/L: Cd, Ni, Zn 60 mg/L: Sb 50 mg/L: Ba, Be, Co, Cr, Cu, Mn, V 20 mg/L: Ag 10 mg/L: As, Tl	125 mL	N9300227
Alternate Analytes	В		
5% HNO ₃ /tr Tarta	rric Acid/tr HF 100 mg/L: Al, As, B, Mo, Na, Sb, Se, Tl 10 mg/L: Ca, Fe, Mg, Si	125 mL	N9300229

Instrument Setup Solutions

Matrix	Contents	Vol.	Part No.
Vis Wavecal Solution			
2% HNO ₃	50 mg/L: K 10 mg/L: La, Li, Mn, Na, Sr 1 mg/L: Ba, Ca	250 mL	N9302946
UV Wavecal Solution			
5% HCl	100 mg/L: K, P, S 20 mg/L: As, La, Li, Mn, Mo, Na, Ni, Sc	125 mL	N0681470
5% HCl	100 mg/L: K, P, S 20 mg/L: As, La, Li, Mn, Mo, Na, Ni, Sc	500 mL	N0582152
Low UV Standard 2% HNO ₃	10 mg/L: Al, P, S	250 mL	N0691580
Calcium Stray Light Standard H ₂ O	10,000 mg/L: Ca	125 mL	N0691581

Every day, you can count on PerkinElmer to provide you with solutions that deliver reliable performance, control operating costs and maximize operational time. Our complete portfolio of consumables, parts, supplies, training and service helps you meet both routine and demanding measurement challenges. We invest heavily in testing and validating our products to ensure you receive guaranteed compatibility and performance – on-time, for every instrument in your laboratory.

For a complete listing of consumables and supplies, please visit www.perkinelmer.com/supplies

PerkinElmer, Inc. 940 Winter Street Waltham, MA 02451 USA P: (800) 762-4000 or (+1) 203-925-4602 www.perkinelmer.com



For a complete listing of our global offices, visit www.perkinelmer.com/ContactUs

Copyright ©2011-2014, PerkinElmer, Inc. All rights reserved. PerkinElmer® is a registered trademark of PerkinElmer, Inc. All other trademarks are the property of their respective owners.