

07/25/2018

Kit Components

Product code	Description
N8120541	KIT - ELAN DRC Solution Kit

Components:

N8125033	ELAN 6100 DRC WASH SOLUTION
N8125034	ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION
N8125035	ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION
N8125037	SOLUTION-METHANOL BLANK
N8125038	SOLUTION-CR STANDARD IN METHANOL
N8125041	Smart Tune Solution ELAN DRC Plus II

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

1 Identification

- **Product identifier**
- **Trade name:** ELAN 6100 DRC WASH SOLUTION
- **Article number** N8125033
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018



Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number: 231-791-2**
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Hazardous components:** Void

· Additional Components

7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7732-18-5	Water		99.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 2)

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
-----------	-------------	----------

· **PAC-2:**

7697-37-2	Nitric Acid	24 ppm
-----------	-------------	--------

· **PAC-3:**

7697-37-2	Nitric Acid	92 ppm
-----------	-------------	--------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 3)

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Transparent
Odor:	Odorless
Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

· **Solvent content:**

Water:	99.5 %
VOC content:	0.00 %

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 4)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations



- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|--|--|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Non regulated according to above specifications.
Void |

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		99.5%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 6)

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	Nitric Acid
-----------	-------------

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	Nitric Acid
-----------	-------------

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7697-37-2	Nitric Acid
-----------	-------------

7732-18-5	Water
-----------	-------

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Generally not hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC WASH SOLUTION

(Contd. of page 7)

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· *** Data compared to the previous version altered.**

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

1 Identification

- **Product identifier**
- **Trade name:** ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION
- **Article number** N8125034
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number: 231-791-2**
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Hazardous components:** Void

· Additional Components

7697-37-2	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	0.5%
7440-45-1	cerium Water-react. 2, H261	0.02%
7440-70-2	calcium Water-react. 2, H261	0.01%
7440-48-4	cobalt Resp. Sens. 1, H334; Carc. 2, H351 Skin Sens. 1, H317	0.01%
7440-74-6	Indium	0.01%
7439-89-6	iron	0.01%
7439-92-1	lead Acute Tox. 3, H301 Carc. 2, H351; Repr. 1A, H360-H362 Acute Tox. 4, H332	0.01%
7439-95-4	magnesium Pyr. Sol. 1, H250; Water-react. 1, H260	0.01%
7440-41-7	beryllium Acute Tox. 3, H301; Acute Tox. 2, H330 Carc. 1B, H350; STOT RE 1, H372 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.01%
7440-09-7	potassium Water-react. 1, H260 Skin Corr. 1B, H314	0.01%
7440-16-6	rhodium	0.01%
7440-23-5	sodium Water-react. 1, H260 Skin Corr. 1B, H314	0.01%
7440-39-3	barium Water-react. 2, H261	0.01%
7440-61-1	uranium Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373	0.0001%

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

7732-18-5 Water

(Contd. of page 2)

99.3699%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-I:**

7697-37-2	Nitric Acid	0.16 ppm
7440-45-1	cerium	30 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-74-6	Indium	0.3 mg/m ³
7439-89-6	iron	3.2 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7440-41-7	beryllium	0.0023 mg/m ³

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

		(Contd. of page 3)
7440-09-7	potassium	2.3 mg/m ³
7440-16-6	rhodium	3 mg/m ³
7440-23-5	sodium	13 mg/m ³
7440-39-3	barium	1.5 mg/m ³
7440-61-1	uranium	0.6 mg/m ³

· PAC-2:

7697-37-2	Nitric Acid	24 ppm
7440-45-1	cerium	330 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-74-6	Indium	3.3 mg/m ³
7439-89-6	iron	35 mg/m ³
7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7440-41-7	beryllium	0.025 mg/m ³
7440-09-7	potassium	25 mg/m ³
7440-16-6	rhodium	33 mg/m ³
7440-23-5	sodium	140 mg/m ³
7440-39-3	barium	180 mg/m ³
7440-61-1	uranium	5 mg/m ³

· PAC-3:

7697-37-2	Nitric Acid	92 ppm
7440-45-1	cerium	2,000 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-74-6	Indium	20 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7440-41-7	beryllium	0.1 mg/m ³
7440-09-7	potassium	150 mg/m ³
7440-16-6	rhodium	200 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-61-1	uranium	30 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling No special measures required.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Transparent
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value at 20 °C (68 °F):** <4
- **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
-------------------------------------	--------------

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 5)

Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	99.4 %
VOC content:	0.00 %
· Other information	No further relevant information available.

*

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 6)

- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-48-4	cobalt	2B
7439-92-1	lead	2B
7440-41-7	beryllium	I

· **NTP (National Toxicology Program)**

7440-48-4	cobalt	R
7439-92-1	lead	R
7440-41-7	beryllium	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

· Recommended cleansing agent: Water, if necessary with cleansing agents.




(Contd. of page 7)

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Non regulated according to above specifications. Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

7732-18-5	Water		99.3699%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-45-1	cerium	 Water-react. 2, H261	0.02%

· Sara

· Section 355 (extremely hazardous substances):

7697-37-2	Nitric Acid
-----------	-------------

· Section 313 (Specific toxic chemical listings):

7697-37-2	Nitric Acid
7440-48-4	cobalt
7439-92-1	lead
7440-41-7	beryllium
7440-39-3	barium

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

7697-37-2	Nitric Acid
-----------	-------------

(Contd. on page 9)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 8)

7440-45-1	cerium
7440-70-2	calcium
7440-48-4	cobalt
7440-74-6	Indium
7439-89-6	iron
7439-92-1	lead
7439-95-4	magnesium
7440-41-7	beryllium
7440-09-7	potassium
7440-16-6	rhodium
7440-23-5	sodium
7440-39-3	barium
7440-61-1	uranium
7732-18-5	Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

7440-48-4	cobalt
7439-92-1	lead
7440-41-7	beryllium

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
-----------	------

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

7439-92-1	lead	B2
7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
7440-39-3	barium	D, CBD(inh), NL(oral)

· **TLV (Threshold Limit Value established by ACGIH)**

7440-48-4	cobalt	A3
7439-92-1	lead	A3
7440-41-7	beryllium	A1
7440-16-6	rhodium	A4
7440-39-3	barium	A4
7440-61-1	uranium	A1

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-41-7	beryllium
-----------	-----------

(Contd. on page 10)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 9)

7440-61-1 uranium

- **National regulations:**
- **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

- **Department issuing SDS:** *Environmental, Health and Safety*
- **Contact:**
Within the USA: 1-(800)-762-4000
Outside the USA: 1-(203)-712-8488
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
- *** Data compared to the previous version altered.**

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

1 Identification

- **Product identifier**
- **Trade name:** ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION
- **Article number** N8125035
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018














Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number:** 231-791-2
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Hazardous components:** Void

· Additional Components

7697-37-2	Nitric Acid  Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-39-3	barium  Water-react. 2, H261	0.01%
7439-92-1	lead  Acute Tox. 3, H301  Carc. 2, H351; Repr. 1A, H360-H362  Acute Tox. 4, H332	0.0001%
7439-95-4	magnesium  Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
7440-45-1	cerium  Water-react. 2, H261	0.0001%
7440-16-6	rhodium	0.0001%
7440-61-1	uranium  Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373	0.0001%
7440-74-6	Indium	0.0001%
7440-29-1	thorium  Carc. 1A, H350	0.0001%
7440-43-9	cadmium (non-pyrophoric)  Acute Tox. 2, H330  Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372	0.0001%
7440-50-8	copper	0.0001%
7439-96-5	manganese	0.0001%
7440-47-3	chromium	0.0001%
7429-90-5	aluminium	0.0001%
7732-18-5	Water	99.37%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 2)

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-I:

7697-37-2	Nitric Acid	0.16 ppm
7440-39-3	barium	1.5 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7440-45-1	cerium	30 mg/m ³
7440-16-6	rhodium	3 mg/m ³
7440-61-1	uranium	0.6 mg/m ³
7440-74-6	Indium	0.3 mg/m ³
7440-29-1	thorium	30 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m ³
7440-50-8	copper	3 mg/m ³
7439-96-5	manganese	3 mg/m ³
7440-47-3	chromium	1.5 mg/m ³

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 3)

· PAC-2:		
7697-37-2	Nitric Acid	24 ppm
7440-39-3	barium	180 mg/m ³
7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7440-45-1	cerium	330 mg/m ³
7440-16-6	rhodium	33 mg/m ³
7440-61-1	uranium	5 mg/m ³
7440-74-6	Indium	3.3 mg/m ³
7440-29-1	thorium	330 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m ³
7440-50-8	copper	33 mg/m ³
7439-96-5	manganese	5 mg/m ³
7440-47-3	chromium	17 mg/m ³
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7440-39-3	barium	1,100 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7440-45-1	cerium	2,000 mg/m ³
7440-16-6	rhodium	200 mg/m ³
7440-61-1	uranium	30 mg/m ³
7440-74-6	Indium	20 mg/m ³
7440-29-1	thorium	2,000 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m ³
7440-50-8	copper	200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-47-3	chromium	99 mg/m ³

*

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 5)

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid
Color: Transparent

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: 0 °C (32 °F)

Boiling point/Boiling range: 100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 5)

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	99.4 %
VOC content:	0.00 %
· Other information	No further relevant information available.

* **10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* **11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 6)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7439-92-1	lead	2B
7440-29-1	thorium	1
7440-43-9	cadmium (non-pyrophoric)	1
7440-47-3	chromium	3

· **NTP (National Toxicology Program)**

7439-92-1	lead	R
7440-43-9	cadmium (non-pyrophoric)	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9	cadmium (non-pyrophoric)	
-----------	--------------------------	--

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Smaller quantities can be disposed of with household waste.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA** Void

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION




(Contd. of page 7)

· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Non regulated according to above specifications. Void

*

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

7732-18-5	Water		99.37%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-39-3	barium	 Water-react. 2, H261	0.01%

· Sara

· Section 355 (extremely hazardous substances):

7697-37-2	Nitric Acid
-----------	-------------

· Section 313 (Specific toxic chemical listings):

7697-37-2	Nitric Acid
7440-39-3	barium
7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)
7440-50-8	copper
7439-96-5	manganese
7440-47-3	chromium
7429-90-5	aluminium

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

7697-37-2	Nitric Acid
7440-39-3	barium
7439-92-1	lead

(Contd. on page 9)

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 8)

7439-95-4	magnesium
7440-45-1	cerium
7440-16-6	rhodium
7440-61-1	uranium
7440-74-6	Indium
7440-29-1	thorium
7440-43-9	cadmium (non-pyrophoric)
7440-50-8	copper
7439-96-5	manganese
7440-47-3	chromium
7429-90-5	aluminium
7732-18-5	Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7440-39-3	barium	D, CBD(inh), NL(oral)
7439-92-1	lead	B2
7440-43-9	cadmium (non-pyrophoric)	B1
7440-50-8	copper	D
7439-96-5	manganese	D
7440-47-3	chromium	D

· **TLV (Threshold Limit Value established by ACGIH)**

7440-39-3	barium	A4
7439-92-1	lead	A3
7440-16-6	rhodium	A4
7440-61-1	uranium	A1
7440-43-9	cadmium (non-pyrophoric)	A2
7440-47-3	chromium	A4

(Contd. on page 10)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 9)

7429-90-5	aluminium	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
7440-61-1	uranium	
7440-43-9	cadmium (non-pyrophoric)	

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· *** Data compared to the previous version altered.**

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

1 Identification

- **Product identifier**
- **Trade name:** SOLUTION-METHANOL BLANK
- **Article number** N8125037
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = *0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015




Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number: 231-791-2**
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:

67-56-1	methanol	 Flam. Liq. 2, H225  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT SE 1, H370	1.0%
---------	----------	---	------

· Additional Components

7732-18-5	Water	99.0%
-----------	-------	-------

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 2)

- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
67-56-1	methanol	530 ppm
· PAC-2:		
67-56-1	methanol	2,100 ppm
· PAC-3:		
67-56-1	methanol	7200* ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
67-56-1 methanol	
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m ³ , 250 ppm
	Long-term value: 262 mg/m ³ , 200 ppm
	Skin; BEI
· Ingredients with biological limit values:	
67-56-1 methanol	
BEI	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 3)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Transparent
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)
- **Density at 20 °C (68 °F):** 0.9979 g/cm³ (8.32748 lbs/gal)
- **Relative density** Not determined.
- **Vapor density** Not determined.

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 4)

· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with Water:	<i>Fully miscible.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
· Solvent content:	
Organic solvents:	<i>1.0 %</i>
Water:	<i>99.0 %</i>
VOC content:	<i>1.00 %</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---------------------------------------|-----------------|
| · UN-Number | Void |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | Void |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Class | Void |
| · Packing group | Void |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015




Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 6)

- | | |
|--|--|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Non regulated according to above specifications.
Void |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

7732-18-5	Water		99.0%
67-56-1	methanol	 Flam. Liq. 2, H225  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT SE 1, H370	1.0%

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-56-1	methanol
---------	----------

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

67-56-1	methanol
7732-18-5	Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1	methanol
---------	----------

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/16/2015

Trade name: SOLUTION-METHANOL BLANK

(Contd. of page 7)

- **National regulations:**
- **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Water hazard class:** *Generally not hazardous for water.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

- **Department issuing SDS:** *Environmental, Health and Safety*

- **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

- *** Data compared to the previous version altered.**

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

1 Identification

- **Product identifier**
- **Trade name:** SOLUTION-CR STANDARD IN METHANOL
- **Article number** N8125038
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**
- | | | |
|------------|---|----------------|
| HEALTH | 0 | Health = *0 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018




Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number: 231-791-2**
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:

67-56-1	methanol	 Flam. Liq. 2, H225  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT SE 1, H370	1.0%
---------	----------	---	------

· Additional Components

7440-47-3	chromium		0.5%
7732-18-5	Water		98.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

67-56-1	methanol	530 ppm
7440-47-3	chromium	1.5 mg/m ³

· **PAC-2:**

67-56-1	methanol	2,100 ppm
7440-47-3	chromium	17 mg/m ³

· **PAC-3:**

67-56-1	methanol	7200* ppm
7440-47-3	chromium	99 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

67-56-1 methanol

PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m ³ , 250 ppm
	Long-term value: 262 mg/m ³ , 200 ppm
	Skin; BEI

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 3)

· **Ingredients with biological limit values:**

67-56-1 methanol

BEI	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Transparent

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 4)

· Explosion limits:	
Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
· Vapor pressure at 20 °C (68 °F):	<i>23 hPa (17.3 mm Hg)</i>
· Density at 20 °C (68 °F):	<i>1.02885 g/cm³ (8.58575 lbs/gal)</i>
· Relative density	<i>Not determined.</i>
· Vapor density	<i>Not determined.</i>
· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with Water:	<i>Fully miscible.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
· Solvent content:	
Organic solvents:	<i>1.0 %</i>
Water:	<i>98.5 %</i>
VOC content:	<i>1.00 %</i>
Solids content:	<i>0.5 %</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 5)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-47-3 chromium

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Generally not hazardous for water

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Smaller quantities can be disposed of with household waste.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class** Void

(Contd. on page 7)

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018




Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 6)

· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Non regulated according to above specifications. Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		98.5%
67-56-1	methanol	 Flam. Liq. 2, H225  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT SE 1, H370	1.0%
7440-47-3	chromium		0.5%

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

67-56-1	methanol
7440-47-3	chromium

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

67-56-1	methanol
7440-47-3	chromium
7732-18-5	Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

67-56-1	methanol
---------	----------

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

(Contd. of page 7)

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7440-47-3	chromium	D
-----------	----------	---

· **TLV (Threshold Limit Value established by ACGIH)**

7440-47-3	chromium	A4
-----------	----------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.		
------------------------------------	--	--

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Generally not hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 9)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: SOLUTION-CR STANDARD IN METHANOL

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

· *** Data compared to the previous version altered.**

(Contd. of page 8)

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

1 Identification

- **Product identifier**
- **Trade name:** *Smart Tune Solution ELAN DRC Plus II*
- **Article number** *N8125041*
- **Application of the substance / the mixture** *Laboratory chemicals*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
7732-18-5 Water
- **Identification number(s)**
- **EC number:** 231-791-2
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Hazardous components:** Void

· Additional Components

7697-37-2	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	0.5%
7440-45-1	cerium Water-react. 2, H261	0.0001%
7440-48-4	cobalt Resp. Sens. 1, H334; Carc. 2, H351 Skin Sens. 1, H317	0.0001%
7440-74-6	Indium	0.0001%
7439-89-6	iron	0.0001%
7439-92-1	lead Acute Tox. 3, H301 Carc. 2, H351; Repr. 1A, H360-H362 Acute Tox. 4, H332	0.0001%
7439-95-4	magnesium Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
7440-41-7	beryllium Acute Tox. 3, H301; Acute Tox. 2, H330 Carc. 1B, H350; STOT RE 1, H372 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.0001%
7440-29-1	thorium Carc. 1A, H350	0.0001%
7440-61-1	uranium Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373	0.0001%
7440-39-3	barium Water-react. 2, H261	0.0001%
7732-18-5	Water	99.499%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 2)

- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
7440-45-1	cerium	30 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-74-6	Indium	0.3 mg/m ³
7439-89-6	iron	3.2 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7440-41-7	beryllium	0.0023 mg/m ³
7440-29-1	thorium	30 mg/m ³
7440-61-1	uranium	0.6 mg/m ³
7440-39-3	barium	1.5 mg/m ³

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 3)

· PAC-2:		
7697-37-2	Nitric Acid	24 ppm
7440-45-1	cerium	330 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-74-6	Indium	3.3 mg/m ³
7439-89-6	iron	35 mg/m ³
7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7440-41-7	beryllium	0.025 mg/m ³
7440-29-1	thorium	330 mg/m ³
7440-61-1	uranium	5 mg/m ³
7440-39-3	barium	180 mg/m ³
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7440-45-1	cerium	2,000 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-74-6	Indium	20 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7440-41-7	beryllium	0.1 mg/m ³
7440-29-1	thorium	2,000 mg/m ³
7440-61-1	uranium	30 mg/m ³
7440-39-3	barium	1,100 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)

USA

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 4)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

*

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Transparent
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 5)

· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	99.5 %
VOC content:	0.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

7440-48-4	cobalt	2B
7439-92-1	lead	2B

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 6)

7440-41-7	beryllium	I
7440-29-1	thorium	I
· NTP (National Toxicology Program)		
7440-48-4	cobalt	R
7439-92-1	lead	R
7440-41-7	beryllium	K
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Void

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018



Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 7)

· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Non regulated according to above specifications. Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		99.4999%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-48-4	cobalt	 Resp. Sens. 1, H334; Carc. 2, H351  Skin Sens. 1, H317	0.0001%

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	Nitric Acid
-----------	-------------

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	Nitric Acid
7440-48-4	cobalt
7439-92-1	lead
7440-41-7	beryllium
7440-39-3	barium

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7697-37-2	Nitric Acid
7440-45-1	cerium
7440-48-4	cobalt
7440-74-6	Indium
7439-89-6	iron
7439-92-1	lead
7439-95-4	magnesium
7440-41-7	beryllium
7440-29-1	thorium
7440-61-1	uranium

(Contd. on page 9)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 8)

7440-39-3	barium
7732-18-5	Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

7440-48-4	cobalt
7439-92-1	lead
7440-41-7	beryllium

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
-----------	------

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

7439-92-1	lead	B2
7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
7440-39-3	barium	D, CBD(inh), NL(oral)

· **TLV (Threshold Limit Value established by ACGIH)**

7440-48-4	cobalt	A3
7439-92-1	lead	A3
7440-41-7	beryllium	A1
7440-61-1	uranium	A1
7440-39-3	barium	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-41-7	beryllium
7440-61-1	uranium

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that

(Contd. on page 10)

acc. to OSHA HCS

Printing date 07/25/2018

Review date 07/25/2018

Trade name: Smart Tune Solution ELAN DRC Plus II

(Contd. of page 9)

these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· *** Data compared to the previous version altered.**

USA