

Printing date 04/05/2017 Review date 04/04/2017

1 Identification

- · Product identifier
- · Trade name: ELAN 6100 SETUP/STABILITY SOLUTION
- · Article number N8125030
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)



ISO 11014:2009 and GHS 2007

Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 1FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7732-18-5 Water

- \cdot Identification number(s)
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components:		
7697-37-2	Nitric Acid	Ox. Liq. 3, H272 Skin Corr. 1A, H3	1.0%
· Additional	Components		
7440-45-1	cerium Water-react. 2, H261		0.01%
7440-50-8	copper		0.01%
7440-74-6	Indium		0.01%
7439-92-1	lead → Acute Tox. 3, H301 → Carc. 2, H351; Repr. 1A, H360; STOT RE 2, H373 → Acute Tox. 4, H332		0.01%
7439-95-4	magnesium Pyr. Sol. 1, H250; Water-react. 1, H260		0.01%
7440-43-9	cadmium (non-pyrophoric) ◆ Acute Tox. 2, H330 ◆ Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372	·	0.01%
7440-16-6	rhodium		0.01%
7440-61-1	uranium		0.01%
7440-39-3	barium Nation Water-react. 2, H261		0.01%
7732-18-5	Water		98.91%

- USA



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7697-37-2	Nitric Acid	0.16 ppm
7440-45-1	cerium	30 mg/m3
7440-50-8	copper	3 mg/m3
7440-74-6	Indium	0.3 mg/m3
7439-92-1	lead	0.15 mg/m.
7439-95-4	magnesium	18 mg/m3
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m
7440-16-6	rhodium	3 mg/m3
7440-61-1	uranium	0.6 mg/m3
7440-39-3	barium	1.5 mg/m3
· PAC-2:		
7697-37-2	Nitric Acid	24 ppm
7440-45-1	cerium	330 mg/m3
7440-50-8	copper	33 mg/m3

-USA





Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

	(Contd. of page
7440-74-6 Indium	3.3 mg/m
7439-92-1 lead	120 mg/n
7439-95-4 magnesium	200 mg/n
7440-43-9 cadmium (non-pyropho	ic) 0.76 mg/r
7440-16-6 rhodium	33 mg/m²
7440-61-1 uranium	5 mg/m3
7440-39-3 barium	180 mg/n
· PAC-3:	
7697-37-2 Nitric Acid	92 ppm
7440-45-1 cerium	2,000 mg/r
7440-50-8 copper	200 mg/m ²
7440-74-6 Indium	20 mg/m3
7439-92-1 lead	700 mg/m²
7439-95-4 magnesium	1,200 mg/s
7440-43-9 cadmium (non-pyropho	ic) 4.7 mg/m3
7440-16-6 rhodium	200 mg/m ²
7440-61-1 uranium	30 mg/m3
7440-39-3 barium	1,100 mg/i

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters


· Components with	limit values that red	quire monitoring	at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm REL | Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)





Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Transparent
Odor: Odorless
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: 0 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

• Auto igniting: Product is not selfigniting.

(Contd. on page 6)



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

	(Contd. of page	ge 5)
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	98.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot \textit{Conditions to avoid No further relevant information available}.$
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
7439-92-1	lead	2B
7440-43-9	cadmium (non-pyrophoric)	1
	(Contd. c	on page 7)

USA



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

	(Contd. of page 6)			
· NTP (National Toxicology Program)				
7439-92-1	lead R			
7440-43-9	cadmium (non-pyrophoric) K			
· OSHA-Ca (Occupational Safety & Health Administration)				
7440-43-9	cadmium (non-pyrophoric)			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA UN3264
- · UN proper shipping name
- \cdot DOT, \overrightarrow{ADR} Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
- CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) · IMDG, IATA
- · Transport hazard class(es)
- $\cdot DOT$



Class 8 Corrosive substances

(Contd. on page 8)



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 7) · Label $\cdot ADR$ · Class 8 (C1) Corrosive substances · Label · IMDG, IATA · Class 8 Corrosive substances · Label · Packing group · DOT, ADR, IMDG, IATA Ш · Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Corrosive substances · Danger code (Kemler): 80 · EMS Number: F-A,S-B· Segregation groups Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IMDG · Limited quantities (LQ) 5LCode: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. · UN "Model Regulation": (NITRIC ACID), 8, III

USA



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 8)

· Safety hea	alth and environmental regulations/legislation specific for the substance or mixture	
7732-18-5		98.919
		1.0%
	Skin Corr. 1A, H314	1
7440-50-8	copper	0.01%
· Sara		
	5 (extremely hazardous substances):	
7697-37-2	Nitric Acid	
· Section 31.	3 (Specific toxic chemical listings):	
7697-37-2	Nitric Acid	
7440-50-8	copper	
7439-92-1	lead	
7440-43-9	cadmium (non-pyrophoric)	
7440-39-3	barium	
	cic Substances Control Act):	
	ents are listed.	
	Nitric Acid	
7440-45-1		
7440-50-8	**	
7440-74-6		
7439-92-1		
	magnesium	
	7440-43-9 cadmium (non-pyrophoric)	
7440-16-6	rhodium	
7440-61-1	uranium	
7440-39-3	barium	
7732-18-5	Water	
· Proposition		
· Chemicals	known to cause cancer:	
7439-92-1		
7440-43-9	cadmium (non-pyrophoric)	
· Chemicals	known to cause reproductive toxicity for females:	
7439-92-1	lead	
· Chemicals	known to cause reproductive toxicity for males:	
7439-92-1	- **	
	cadmium (non-pyrophoric)	
· Chemicals	known to cause developmental toxicity:	
7439-92-1 lead		
5 4 40 42 0	cadmium (non-pyrophoric)	

USA



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 9)

	nity categories	
,	ronmental Protection Agency)	
7440-50-8	copper	D
7439-92-1	lead	B2
7440-43-9	cadmium (non-pyrophoric)	B1
7440-39-3	barium	D, CBD(inh), NL(oral)
· TLV (Thre	shold Limit Value established by ACGIH)	
7439-92-1	lead	A3
7440-43-9	cadmium (non-pyrophoric)	A2
7440-16-6	rhodium	A4
7440-61-1	uranium	AI
7440-39-3	barium	A4
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
7440-43-9	cadmium (non-pyrophoric)	
7440-61-1	uranium	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling. P264

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

(Contd. on page 11)



Printing date 04/05/2017 Review date 04/04/2017

Trade name: ELAN 6100 SETUP/STABILITY SOLUTION

(Contd. of page 10)

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Contact:

With in the USA: 1-(800)-762-4000 Out side the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 3: Oxidizing liquids – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.

USA •