


Printing date 08/30/2018

Review date 08/30/2018





Printing date 08/30/2018

Review date 08/30/2018

#### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

(Contd. of page 1)

#### • HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

# 3 Composition/information on ingredients

### · Chemical characterization: Substances

- · CAS No. Description
- 7732-18-5 Water
- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

	components: Nitric Acid	$\bigcirc$ Or Lig 2 H272	2.0%
/09/-3/-2	πιπις πεια	<ul> <li>Ox. Liq. 2, H272</li> <li>Skin Corr. 1A, H314</li> </ul>	2.070
7439-92-1	lead	<ul> <li>Acute Tox. 3, H301</li> <li>Carc. 2, H351; Repr. 1A, H360-H3</li> <li>Acute Tox. 4, H332</li> </ul>	862 0.05%
Additional	Components		
7782-49-2	selenium		0.02%
	<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H</li> <li>STOT RE 2, H373</li> </ul>	331	-
7440-43-9	cadmium (non-pyrophoric)		0.015%
	Acute Tox. 2, H330 Wuta. 2, H341; Carc. 1B, H350; Rep	or. 2, H361; STOT RE 1, H372	
7440-66-6	zinc		0.015%
	🚸 Water-react. 2, H261		
7439-96-5	manganese		0.01%
7440-41-7	beryllium		0.005%
	♦ Acute Tox. 3, H301; Acute Tox. 2, H	330	
	🐼 Carc. 1B, H350; STOT RE 1, H372		
	<b>()</b> Skin Irrit. 2, H315; Eye Irrit. 2A, H3	19; Skin Sens. 1, H317; STOT SE 3, H335	
7732-18-5	Water		97.885%

# 4 First-aid measures

· Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)



Printing date 08/30/2018

Review date 08/30/2018

(Contd. of page 2)

#### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### · Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

7697-37-2 Nitric Acid	0.16 ppm
7439-92-1 lead	$0.15 mg/m^3$
7782-49-2 selenium	$0.6 \ mg/m^3$
7440-43-9 cadmium (non-pyrophoric)	0.10 mg/m <sup>3</sup>
7440-66-6 zinc	6 mg/m <sup>3</sup>
7439-96-5 manganese	3 mg/m <sup>3</sup>
7440-41-7 beryllium	0.0023 mg/m
· PAC-2:	
7697-37-2 Nitric Acid	24 ppm
7439-92-1 lead	120 mg/m <sup>3</sup>
1107 72 1 10000	$6.6 mg/m^3$
7782-49-2 selenium	
	$0.76 mg/m^3$
7782-49-2 selenium	0.76 mg/m <sup>3</sup> 21 mg/m <sup>3</sup>



Printing date 08/30/2018

Review date 08/30/2018

#### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

7440-41-7	beryllium	(Contd. of page 3) 0.025 mg/m <sup>3</sup>
• PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7439-92-1	lead	700 mg/m <sup>3</sup>
7782-49-2	selenium	40 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	$4.7 mg/m^3$
7440-66-6	zinc	120 mg/m <sup>3</sup>
7439-96-5	manganese	1,800 mg/m <sup>3</sup>
7440-41-7	beryllium	$0.1 mg/m^3$

# 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities

• Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm Short-term value: 10 mg/m <sup>3</sup> , 4 ppm
REL	Short-term value: 10 mg/m³, 4 ppm
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

 $\cdot$  General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)



USA

#### acc. to OSHA HCS

Printing date 08/30/2018

Review date 08/30/2018

#### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

(Contd. of page 4) Avoid contact with the eves and skin. · Breathing equipment: Not required. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles or safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: **Transparent** · Odor: **Odorless** · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition 0 °C (32 °F) Melting point/Melting range: 100 °C (212 °F) **Boiling point/Boiling range:** · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: *Product does not present an explosion hazard.* · Explosion limits: Lower: Not determined. Upper: Not determined. (Contd. on page 6)



Printing date 08/30/2018

Review date 08/30/2018

#### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

		(Contd. of page 5)
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r <b>):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	<i>97.9 %</i>	
VOC content:	0.00 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

#### · Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
7439-92-1	lead	2B
7782-49-2	selenium	3
7440-43-9	cadmium (non-pyrophoric)	1
	(Cont	td. on page 7)



Printing date 08/30/2018

Review date 08/30/2018

(Contd. of page 6)

1

R K

K

## Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

7440-41-7 beryllium

· NTP (National Toxicology Program)

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

7440-41-7 beryllium

· OSHA-Ca (Occupational Safety & Health Administration)

7440-43-9 cadmium (non-pyrophoric)

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number	
· DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
·ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acia



Printing date 08/30/2018

Review date 08/30/2018

# Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

	(Contd. o	i page
Transport hazard class(es)		
DOT		
0		
Class	8 Corrosive substances	
Label	8	
ADR		
A CONTRACTOR OF		
$\mathbf{v}$		
Class Label	8 (C1) Corrosive substances 8	
	0	
IMDG, IATA		
5'3		
•		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, ADR, IMDG, IATA	III	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80 E 4 6 D	
EMS Number: Segregation groups	F-A,S-B Acids	
Stowage Category	A	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex 1		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	**	
DOT Overtity limitations	On passangar ginangt/ngil: 5 I	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L	
	On cargo ancraji oniy. 00 L	
ADR Executed assantition (EQ)	Code: El	
Excepted quantities (EQ)	Code: El	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
	Maximum net quantity per outer packaging: 1000 ml	



\*

# acc. to OSHA HCS

Printing date 08/30/2018

Review date 08/30/2018

### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

Safety, health and environmental regulations/legislation specific for the substance or mixture			
7732-18-5	Water		97.885%
7697-37-2	Nitric Acid	<ul> <li>Øx. Liq. 2, H272</li> <li>Skin Corr. 1A, H314</li> </ul>	2.0%
7439-92-1	lead	Acute Tox. 3, H301 Carc. 2, H351; Repr. 1A, H360-H362 Acute Tox. 4, H332	0.05%
Sara	1		
Section 35.	5 (extremely hazardous substance	es):	
7697-37-2	Nitric Acid		
Section 31	3 (Specific toxic chemical listings	·):	
7697-37-2	Nitric Acid	·	
7439-92-1	lead		
7782-49-2	selenium		
7440-43-9	cadmium (non-pyrophoric)		
7440-66-6	zinc		
7439-96-5	manganese		
7440-41-7			
	xic Substances Control Act): ents are listed.		
7697-37-2	Nitric Acid		
7439-92-1	lead		
7782-49-2	selenium		
7440-43-9	cadmium (non-pyrophoric)		
7440-66-6	zinc		
7439-96-5	manganese		
7440-41-7	beryllium		
	Water		



Printing date 08/30/2018

Review date 08/30/2018

### Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

Proposition	1.65	(Contd. of page
-	known to cause cancer:	
7439-92-1		
	cadmium (non-pyrophoric)	
7440-41-7		
Chemicals	known to cause reproductive toxicity for females:	
7439-92-1		
Chemicals	known to cause reproductive toxicity for males:	
7439-92-1	lead	
7440-43-9	cadmium (non-pyrophoric)	
Chemicals	known to cause developmental toxicity:	
7439-92-1	lead	
7440-43-9	cadmium (non-pyrophoric)	
Canceroge	nity categories	
-	ronmental Protection Agency)	
7439-92-1		B2
7782-49-2	selenium	D
7440-43-9	cadmium (non-pyrophoric)	B1
7440-66-6	zinc	D, I, II
7439-96-5	manganese	D
7440-41-7	beryllium	B1, K/L(inh), CBD(oral
TLV (Thre	shold Limit Value established by ACGIH)	
7439-92-1	lead	A
7440-43-9	cadmium (non-pyrophoric)	A
7440-41-7	beryllium	A
NIOSH-Ca	(National Institute for Occupational Safety and H	Iealth)
7440-43-9	cadmium (non-pyrophoric)	
7440 41 7	beryllium	

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and

(Contd. on page 11)

USA



Printing date 08/30/2018

Review date 08/30/2018

# Trade name: STD-MULTI ELEMENT BE/CD/BP/MN/SE/ZN

should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.	(Contd. of page 10)
Department issuing SDS: Environmental, Health and Safety Contact: Within the USA: 1-(800)-762-4000	
Outside the USA: 1-(203)-712-8488	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulati International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation	ions Concerning the
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernit Carriage of Dangerous Goods by Road)	ng the International
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Ox. Liq. 2: Oxidizing liquids – Category 2	
Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Lye Irrii. 2A. Serious eye admage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2	
Repr. 1A: Reproductive toxicity – Category 1A	
* Data compared to the previous version altered.	
Dua comparea to inc previous version autrea.	US