

Printing date 04/29/2019 Review date 04/29/2019

1 Identification

- · Product identifier
- · Trade name: ELEVEN ELEMENT A/S STANDARD
- · Article number N9300214
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

203-925-4600

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)



acc. to OSHA HCS

Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

· HMIS-ratings (scale 0 - 4)

HEALTH FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

Health = 2

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7732-18-5 Water

- · Identification number(s)
- EC number: 231-791-2
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H31	4 2.0%
Additional	Components		
7440-41-7	beryllium Acute Tox. 3, H301; Acute Tox. 2, H330 Carc. 1B, H350; STOT RE 1, H372 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE	E 3, H335	0.01%
7440-48-4	cobalt Resp. Sens. 1, H334; Carc. 2, H351 Skin Sens. 1, H317 Aquatic Chronic 4, H413		0.01%
7440-50-8	copper		0.01%
7439-89-6	iron ♦ Acute Tox. 2, H300		0.01%
1317-35-7	trimanganese tetraoxide		0.01%
7440-02-0	nickel Carc. 2, H351; STOT RE 1, H372 Skin Sens. 1, H317		0.01%
7440-36-0	antimony Acute Tox. 3, H311; Acute Tox. 3, H331		0.01%
7440-28-0	thallium Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 4, H413		0.01%



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

	(Conto	d. of page 2)
7440-62-2	vanadium	0.01%
7429-90-5	aluminium	0.01%
7440-66-6		0.01%
	Water-react. 2, H261 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
7732-18-5	Water	97.89%

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7697-37-2 Niti	ric Acid	0.16 ppm
7440-41-7 ber	yllium	0.0023 mg/m³
7440-48-4 cob	alt	0.18 mg/m^3
7440-50-8 cop	per	$3 mg/m^3$
		(Contd. on page 4

IIS

USA



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

		(Contd. of page
7439-89-6	iron	3.2 mg/m^3
1317-35-7	trimanganese tetraoxide	4.2 mg/m³
7440-02-0	nickel	4.5 mg/m ³
7440-36-0	antimony	1.5 mg/m ³
7440-28-0	thallium	0.06 mg/m^3
7440-62-2	vanadium	3 mg/m ³
7440-66-6	zinc	6 mg/m³
· PAC-2:		•
7697-37-2	Nitric Acid	24 ppm
7440-41-7	beryllium	0.025 mg/m
7440-48-4	cobalt	2 mg/m ³
7440-50-8	copper	33 mg/m³
7439-89-6	iron	35 mg/m ³
1317-35-7	trimanganese tetraoxide	6.9 mg/m³
7440-02-0	nickel	50 mg/m ³
7440-36-0	antimony	13 mg/m³
7440-28-0	thallium	3.3 mg/m^3
7440-62-2	vanadium	5.8 mg/m³
7440-66-6	zinc	21 mg/m³
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7440-41-7	beryllium	0.1 mg/m ³
7440-48-4	cobalt	20 mg/m³
7440-50-8	copper	200 mg/m
7439-89-6	iron	150 mg/m
1317-35-7	trimanganese tetraoxide	41 mg/m³
7440-02-0	nickel	99 mg/m³
7440-36-0	antimony	80 mg/m³
7440-28-0	thallium	20 mg/m³
7440-62-2	vanadium	35 mg/m ³
7440-66-6	zinc	120 mg/m

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 5)



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

(Contd. of page 4)

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles or safety glasses

USA



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

(Contd. of page 5)

Information on basic physical and c	hemical properties	
General Information		
Appearance:	71	
Form: Color:	Liquid	
Odor:	Transparent Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.9 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

(Contd. of page 6)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7440-41-7	beryllium	1
7440-48-4	cobalt	2B
7440-02-0	nickel	2B
· NTP (Natio	onal Toxicology Program)	
7440-41-7	beryllium	K
7440-48-4	cobalt	R
7440-02-0	nickel	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	r ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

· Other adverse effects No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

117		·	
14 I ra	nsnort	intori	mation
	itop ci t		100000010

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
$\cdot ADR$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric

Acid)
• IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)

· Transport hazard class(es)

 $\cdot DOT$



· Class 8 Corrosive substances

· Label

 $\cdot ADR$



· Class 8 (C1) Corrosive substances

·Label

· IMDG, IATA



· Class 8 Corrosive substances

· Label

(Contd. on page 9)



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

	(Contd. of page
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- A , S - B
· Segregation groups	Acids
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
•	
DOT	0
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
-	(NITRIC ACID), 8, III

97.89%
2.0%
351 0.01%
'
3



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

G (* 212 /G *C* /	• 1 • 17	(Contd. of pag
Section 313 (Specific tox 7697-37-2 Nitric Acid	c chemical listings):	
7440-41-7 beryllium		
7440-48-4 cobalt		
7440-50-8 copper		
1317-35-7 trimanganese	tetraoxide 	
7440-02-0 nickel		
7440-36-0 antimony		
7440-28-0 thallium		
7440-62-2 vanadium		
7429-90-5 aluminium		
7440-66-6 zinc		
TSCA (Toxic Substances All ingredients are listed.	Control Act):	
7697-37-2 Nitric Acid		ACTI
7440-41-7 beryllium		ACTI
7440-41-7 beryillum 7440-48-4 cobalt		ACTI
7440-50-8 copper		ACTI
7439-89-6 iron		ACTI
1317-35-7 trimanganese	tatua ovi da	ACTI
7440-02-0 nickel	leiraoxiae	ACTI
7440-36-0 antimony		ACTI
7440-28-0 thallium		ACTI
7440-62-2 vanadium		ACTI
7429-90-5 aluminium		ACTI
7440-66-6 zinc		ACTI
7732-18-5 Water		
		ACTI
Hazardous Air Pollutant	5	
7440-48-4 cobalt		
1317-35-7 trimanganese	tetraoxide	
Proposition 65		
Chemicals known to cau	se cancer:	
7440-41-7 beryllium		
7440-48-4 cobalt		
7440-02-0 nickel		
Chemicals known to cau	se reproductive toxicity for females:	
None of the ingredients is	listed.	
Chemicals known to cau	se reproductive toxicity for males:	
None of the ingredients is		



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

(Contd. of page 10)

	•	1 0
· Chemicals known to cause developmental toxicity:		
None of the ingredients is listed.		

· Cancerogenity categories

· EPA (Environmental Protection Agency)		
7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
7440-50-8	copper	D
1317-35-7	trimanganese tetraoxide	D
7440-66-6	zinc	D, I, II
TLV (Threshold Limit Value established by ACGIH)		

· TLV (Threshold Limit Value established by ACGIH)		
7440-41-7	beryllium	A1
7440-48-4	cobalt	A3
7440-02-0	nickel	A5
7429-90-5	aluminium	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)		
7440-41-7	beryllium	
7440-02-0	nickel	

- · National regulations:
- Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 12)



Printing date 04/29/2019 Review date 04/29/2019

Trade name: ELEVEN ELEMENT A/S STANDARD

(Contd. of page 11)

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.

USA