

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

1 Identification

- **Product identifier**
- **Trade name: Instrument Calibration Standard 2**
- **Article number** N9301721
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger

- **Hazard-determining components of labeling:**

Nitric Acid
Hydrofluoric acid

- **Hazard statements**

H302+H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe dusts or mists.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 2)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 1)

- P301+P330+P331 *If swallowed: Rinse mouth. Do NOT induce vomiting.*
- P303+P361+P353 *If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
- P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
- P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P310 *Immediately call a poison center/doctor.*
- P321 *Specific treatment (see on this label).*
- P362+P364 *Take off contaminated clothing and wash it before reuse.*
- P363 *Wash contaminated clothing before reuse.*
- P405 *Store locked up.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous components:**

7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%
-----------	-------------	---	------

· **Additional Components**

7664-39-3	Hydrofluoric acid Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	0.3%
133-37-9	(+)-tartaric acid	0.2%
7440-41-7	beryllium Acute Tox. 3, H301; Acute Tox. 2, H330 Carc. 1B, H350; STOT RE 1, H372 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.001%

(Contd. on page 3)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

		(Contd. of page 2)
7440-43-9	cadmium (non-pyrophoric) Acute Tox. 2, H330 Muta. 2, H341; <i>Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372</i>	0.001%
7440-70-2	calcium Water-react. 2, H261	0.001%
7440-47-3	chromium	0.001%
7440-48-4	cobalt Resp. Sens. 1, H334; <i>Carc. 2, H351</i> Skin Sens. 1, H317	0.001%
7440-50-8	copper	0.001%
7439-89-6	iron	0.001%
7439-92-1	lead Acute Tox. 3, H301 Carc. 2, H351; <i>Repr. 1A, H360-H362</i> Acute Tox. 4, H332	0.001%
7439-95-4	magnesium Pyr. Sol. 1, H250; <i>Water-react. 1, H260</i>	0.001%
1317-35-7	trimanganese tetraoxide	0.001%
1313-27-5	molybdenum trioxide Carc. 2, H351 Eye Irrit. 2A, H319; <i>STOT SE 3, H335</i>	0.001%
7440-02-0	nickel Carc. 2, H351; <i>STOT RE 1, H372</i> Skin Sens. 1, H317	0.001%
7440-36-0	antimony	0.001%
7440-09-7	potassium Water-react. 1, H260 Skin Corr. 1B, H314	0.001%
7782-49-2	selenium Acute Tox. 3, H301; <i>Acute Tox. 3, H331</i> STOT RE 2, H373	0.001%
7440-22-4	silver	0.001%
7440-23-5	sodium Water-react. 1, H260 Skin Corr. 1B, H314	0.001%
10042-76-9	strontium nitrate Ox. Sol. 2, H272	0.001%
7440-28-0	thallium Acute Tox. 2, H300; <i>Acute Tox. 2, H330</i> STOT RE 2, H373	0.001%
7440-31-5	tin	0.001%
7440-32-6	titanium Self-heat. 1, H251; <i>Water-react. 1, H260</i>	0.001%
7440-62-2	vanadium	0.001%

(Contd. on page 4)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

		(Contd. of page 3)
7429-90-5	aluminium	0.001%
7440-66-6	zinc ⚠ Water-react. 2, H261	0.001%
7440-38-2	Arsenic ⚠ Acute Tox. 3, H301; Acute Tox. 3, H331 ⚠ Carc. 1A, H350	0.001%
7440-39-3	barium ⚠ Water-react. 2, H261	0.001%
7732-18-5	Water	94.474%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Immediately call a doctor.
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 5)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 4)

Use neutralizing agent.
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
 · **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
7440-41-7	beryllium	0.0023 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-50-8	copper	3 mg/m ³
7439-89-6	iron	3.2 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
1317-35-7	trimanganese tetraoxide	4.2 mg/m ³
1313-27-5	molybdenum trioxide	2.3 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7440-36-0	antimony	1.5 mg/m ³
7440-09-7	potassium	2.3 mg/m ³
7782-49-2	selenium	0.6 mg/m ³
7440-22-4	silver	0.3 mg/m ³
7440-23-5	sodium	13 mg/m ³
10042-76-9	strontium nitrate	5.7 mg/m ³
7440-28-0	thallium	0.06 mg/m ³
7440-31-5	tin	6 mg/m ³
7440-32-6	titanium	30 mg/m ³
7440-62-2	vanadium	3 mg/m ³
7440-66-6	zinc	6 mg/m ³
7440-38-2	Arsenic	1.5 mg/m ³
7440-39-3	barium	1.5 mg/m ³

· **PAC-2:**

7697-37-2	Nitric Acid	24 ppm
7440-41-7	beryllium	0.025 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-50-8	copper	33 mg/m ³

(Contd. on page 6)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

		(Contd. of page 5)
7439-89-6	iron	35 mg/m ³
7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
1317-35-7	trimanganese tetraoxide	6.9 mg/m ³
1313-27-5	molybdenum trioxide	43 mg/m ³
7440-02-0	nickel	50 mg/m ³
7440-36-0	antimony	13 mg/m ³
7440-09-7	potassium	25 mg/m ³
7782-49-2	selenium	6.6 mg/m ³
7440-22-4	silver	170 mg/m ³
7440-23-5	sodium	140 mg/m ³
10042-76-9	strontium nitrate	62 mg/m ³
7440-28-0	thallium	3.3 mg/m ³
7440-31-5	tin	67 mg/m ³
7440-32-6	titanium	330 mg/m ³
7440-62-2	vanadium	5.8 mg/m ³
7440-66-6	zinc	21 mg/m ³
7440-38-2	Arsenic	17 mg/m ³
7440-39-3	barium	180 mg/m ³

· PAC-3:

7697-37-2	Nitric Acid	92 ppm
7440-41-7	beryllium	0.1 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-50-8	copper	200 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
1317-35-7	trimanganese tetraoxide	41 mg/m ³
1313-27-5	molybdenum trioxide	260 mg/m ³
7440-02-0	nickel	99 mg/m ³
7440-36-0	antimony	80 mg/m ³
7440-09-7	potassium	150 mg/m ³
7782-49-2	selenium	40 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-23-5	sodium	870 mg/m ³
10042-76-9	strontium nitrate	370 mg/m ³
7440-28-0	thallium	20 mg/m ³
7440-31-5	tin	400 mg/m ³

(Contd. on page 7)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

7440-32-6	titanium	(Contd. of page 6) 2,000 mg/m ³
7440-62-2	vanadium	35 mg/m ³
7440-66-6	zinc	120 mg/m ³
7440-38-2	Arsenic	100 mg/m ³
7440-39-3	barium	1,100 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7697-37-2 Nitric Acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.

(Contd. on page 8)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 7)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	Transparent
· Odor:	Characteristic
· Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F): <4

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

(Contd. on page 9)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 8)

- | | |
|---|--|
| · Density at 20 °C (68 °F): | 1 g/cm ³ (8.345 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Fully miscible. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Water: | 94.5 % |
| VOC content: | 0.00 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Harmful
- Corrosive
- Irritant
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 10)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 9)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-41-7	beryllium	1
7440-43-9	cadmium (non-pyrophoric)	1
7440-47-3	chromium	3
7440-48-4	cobalt	2B
7439-92-1	lead	2B
7440-02-0	nickel	2B
7782-49-2	selenium	3
7440-38-2	Arsenic	1

· **NTP (National Toxicology Program)**

7440-41-7	beryllium	K
7440-43-9	cadmium (non-pyrophoric)	K
7440-48-4	cobalt	R
7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	Arsenic	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9	cadmium (non-pyrophoric)	
7440-38-2	Arsenic	

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

USA

(Contd. on page 11)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018




Trade name: Instrument Calibration Standard 2

(Contd. of page 10)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of container and materials in accordance with local, regional and national regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

*** 14 Transport information**

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, Hydrogen fluoride) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid, Hydrogen fluoride) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid, HYDROGEN FLUORIDE)
· Transport hazard class(es) · DOT	
	
· Class · Label	8 Corrosive substances 8
· ADR	
	
· Class · Label	8 (C1) Corrosive substances 8
· IMDG, IATA	
	
· Class · Label	8 Corrosive substances 8

(Contd. on page 12)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 11)

· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations	 On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROGEN FLUORIDE), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture		
7732-18-5	Water	94.474%
7697-37-2	Nitric Acid ☠ Ox. Liq. 2, H272 ☠ Skin Corr. 1A, H314	5.0%
7664-39-3	Hydrofluoric acid ☠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 ☠ Skin Corr. 1A, H314	0.3%
· Sara		
· Section 355 (extremely hazardous substances):		
7697-37-2	Nitric Acid	

(Contd. on page 13)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 12)

· Section 313 (Specific toxic chemical listings):

7697-37-2	Nitric Acid
7440-41-7	beryllium
7440-43-9	cadmium (non-pyrophoric)
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7439-92-1	lead
1317-35-7	trimanganese tetraoxide
1313-27-5	molybdenum trioxide
7440-02-0	nickel
7440-36-0	antimony
7782-49-2	selenium
7440-22-4	silver
10042-76-9	strontium nitrate
7440-28-0	thallium
7440-62-2	vanadium
7429-90-5	aluminium
7440-66-6	zinc
7440-38-2	Arsenic
7440-39-3	barium

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

7697-37-2	Nitric Acid
133-37-9	(+)-tartaric acid
7440-41-7	beryllium
7440-43-9	cadmium (non-pyrophoric)
7440-70-2	calcium
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7439-89-6	iron
7439-92-1	lead
7439-95-4	magnesium
1317-35-7	trimanganese tetraoxide
1313-27-5	molybdenum trioxide
7440-02-0	nickel
7440-36-0	antimony
7440-09-7	potassium
7782-49-2	selenium

(Contd. on page 14)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 13)

7440-22-4	silver
7440-23-5	sodium
10042-76-9	strontium nitrate
7440-28-0	thallium
7440-31-5	tin
7440-32-6	titanium
7440-62-2	vanadium
7429-90-5	aluminium
7440-66-6	zinc
7440-38-2	Arsenic
7440-39-3	barium
7732-18-5	Water

· Proposition 65

· Chemicals known to cause cancer:

7440-41-7	beryllium
7440-43-9	cadmium (non-pyrophoric)
7440-48-4	cobalt
7439-92-1	lead
7440-02-0	nickel
7440-38-2	Arsenic

· Chemicals known to cause reproductive toxicity for females:

7439-92-1	lead
-----------	------

· Chemicals known to cause reproductive toxicity for males:

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

· Chemicals known to cause developmental toxicity:

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

· Cancerogenity categories

· EPA (Environmental Protection Agency)

7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
7440-43-9	cadmium (non-pyrophoric)	B1
7440-47-3	chromium	D
7440-50-8	copper	D
7439-92-1	lead	B2
1317-35-7	trimanganese tetraoxide	D
7782-49-2	selenium	D
7440-22-4	silver	D
7440-66-6	zinc	D, I, II

(Contd. on page 15)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 14)

7440-38-2	Arsenic	A
7440-39-3	barium	D, CBD(inh), NL(oral)

· **TLV (Threshold Limit Value established by ACGIH)**

7440-41-7	beryllium	A1
7440-43-9	cadmium (non-pyrophoric)	A2
7440-47-3	chromium	A4
7440-48-4	cobalt	A3
7439-92-1	lead	A3
7440-02-0	nickel	A5
7429-90-5	aluminium	A4
7440-38-2	Arsenic	A1
7440-39-3	barium	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-41-7	beryllium
7440-43-9	cadmium (non-pyrophoric)
7440-02-0	nickel
7440-38-2	Arsenic

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 16)

acc. to OSHA HCS

Printing date 05/02/2018

Review date 05/02/2018

Trade name: Instrument Calibration Standard 2

(Contd. of page 15)

DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Liq. 2: Oxidizing liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

USA