

Printing date 04/10/2018

Review date 04/10/2018



Printing date 04/10/2018

Review date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7732-18-5 Water
- · Identification number(s)
- EC number: 231-791-2
- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components:	
7697-37-2	Nitric Acid $\bigotimes Ox. Liq. 2, H272$ $\bigotimes Skin Corr. 1A, H314$	2.0%
· Additional	Components	
7440-52-0	erbium	0.1%
7732-18-5	Water	97.9%

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 04/10/2018

Review date 04/10/2018

(Contd. of page 2)

Trade name: STD, Erbium, 1000 ppm

Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
7697-37-2 Nitric Acid	0.16 ppm
· PAC-2:	
7697-37-2 Nitric Acid	24 ppm
· PAC-3:	
7697-37-2 Nitric Acid	92 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

USA



Printing date 04/10/2018

Review date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

(Contd. of page 3) · Control parameters · Components with limit values that require monitoring at the workplace: 7697-37-2 Nitric Acid PEL Long-term value: 5 mg/m³, 2 ppm *REL* Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm TLVShort-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: Not required. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles or safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: **Transparent Odorless** · Odor:

> (Contd. on page 5) USA



Printing date 04/10/2018

Review date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

		(Contd. of page
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17.3 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1 g/cm³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.9 %	
VOC content:	0.00 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

USA



Printing date 04/10/2018

Review date 04/10/2018

(Contd. of page 5)

Trade name: STD, Erbium, 1000 ppm

• Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- \cdot General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

USA



*

acc. to OSHA HCS

Review date 04/10/2018

(Contd. of page 6)

Printing date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT, ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid
• Transport hazard class(es)	
· DOT	
· Class · Label	8 Corrosive substances 8
· Class · Label	8 (C1) Corrosive substances 8
· IMDG, IATA	8 Corrosive substances 8
	0
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.



*

acc. to OSHA HCS

Printing date 04/10/2018

Review date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

	(Contd. of page
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
2	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
-	(NITRIC ACID), 8, III

7732-18-5	Water	9	07.9%
7697-37-2	Nitric Acid Ox. Liq Skin Cor	2, H272 r. 1A, H314	2.0%
7440-52-0	erbium	(0.1%
Sara			
Section 35.	55 (extremely hazardous substances):		
7697-37-2	Nitric Acid		
Section 31.	3 (Specific toxic chemical listings):		
7697-37-2	Nitric Acid		
TSCA (Tox	xic Substances Control Act):		
	ients are listed.		
7697-37-2	Nitric Acid		
7440-52-0	erbium		
7732-18-5	Water		
TSCA new	v (21st Century Act) (Substances not listed)		
Proposition	n 65		
• Chemicals	s known to cause cancer:		
None of the	e ingredients is listed.		
Chemicals	s known to cause reproductive toxicity for females:		
NI C.I	e ingredients is listed.		



Printing date 04/10/	2018	<i>Review date 04/10/20</i>
rade name: STD, I	Erbium, 1000 ppm	
		(Contd. of page
· Chemicals knov	vn to cause reproductive toxicity for males:	
None of the ingr	edients is listed.	
· Chemicals know	vn to cause developmental toxicity:	
None of the ingr	edients is listed.	
· Cancerogenity	ategories	
· EPA (Environn	ental Protection Agency)	
None of the ingr	edients is listed.	
· TLV (Threshold	Limit Value established by ACGIH)	
None of the ingr	edients is listed.	
· NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)	
None of the ingr	edients is listed.	
· GHS label elem	ents The product is classified and labeled according to t	he Globally Harmonized System (GHS)
· Hazard pictogra	ums GHS07	
· Signal word Wa		
• Hazard stateme	nts	
H315 Causes sk	in irritation.	
H319 Causes se	rious eye irritation.	
· Precautionary s	tatements	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves / eye protection / face protect	tion.
P302+P352	If on skin: Wash with plenty of water.	
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several n and easy to do. Continue rinsing.	ninutes. Remove contact lenses, if prese
P321	Specific treatment (see on this label).	
P332+P313	If skin irritation occurs: Get medical advice/attention	n.
P337+P313	If eye irritation persists: Get medical advice/attentio	
P362+P364	Take off contaminated clothing and wash it before re	
· National regula		
-		
	put limitation of use: tallowed to be exposed to this hazardous material. Exc	eptions can be made by the authorities
Water harand of	ass: Generally not hazardous for water	

· Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 10)

USA



Printing date 04/10/2018

Review date 04/10/2018

Trade name: STD, Erbium, 1000 ppm

(Contd. of pa	age 9
Department issuing SDS: Environmental, Health and Safety	
Contact:	
Within the USA: 1-(800)-762-4000	
<i>Outside the USA: 1-(203)-712-8488</i>	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concernin	ıg tl
International Transport of Dangerous Goods by Rail)	.8
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internat	tion
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Ox. Liq. 2: Oxidizing liquids – Category 2	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
	— t