

## acc. to OSHA HCS

## Printing date 07/05/2018

Review date 07/05/2018

	ion
· Product iden	tifier
	Palladium 1000 PPM A/S standard
· Article numb	per N9303789
• Application of	of the substance / the mixture Laboratory chemicals
• Details of the • Manufacture	e supplier of the safety data sheet ar/Supplier
manajaciare	in Supplier.
PerkinElmer,	
710 Bridgepo	
,	necticut 06484 USA reUS@perkinelmer.com
203-925-460	
	elephone number:
CHEMTREC	(within US) 800-424-9300
	(from outside US) +1 703-527-3887 (call collect)
CHEMTREC	C (within AU) +(61)-290372994
2 Hazard(s)	identification
· Classificatio	n of the substance or mixture
	n of the substance of mixture
LE CO	prrosion
Skin Corr 11	3 H314 Causes severe skin burns and eve damage
	B H314 Causes severe skin burns and eye damage. H318 Causes serious ave damage
	3 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
	, ,
Eye Dam. 1	H318 Causes serious eye damage.
Eye Dam. 1	H318 Causes serious eye damage. H335 May cause respiratory irritation.
Eye Dam. 1 STOT SE 3 Label elemen	H318 Causes serious eye damage. H335 May cause respiratory irritation.
Eye Dam. 1 STOT SE 3 Label element GHS label el	H318 Causes serious eye damage. H335 May cause respiratory irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS)
Eye Dam. 1 STOT SE 3 Label element GHS label el Hazard picto	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS05, GHS07
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label el Hazard picto Signal word	H318 Causes serious eye damage. H335 May cause respiratory irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label elemen GHS label el Hazard picto Signal word Hazard-deten	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling:
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label el Hazard picto Signal word	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS05, GHS07 Danger rmining components of labeling: Acid
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label elemen GHS label el Hazard picto Signal word Hazard-deten Hydrochloric Hazard state	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS05, GHS07 Danger rmining components of labeling: Acid
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label elemen GHS label el Hazard picto Signal word Hazard-deten Hydrochloric Hazard state H314 Causes H335 May co	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. ause respiratory irritation.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label elemen GHS label el Hazard picto Signal word Hazard-deten Hydrochloric Hazard state H314 Causes H335 May co Precautional	H318 Causes serious eye damage. H335 May cause respiratory irritation. Hs lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: e Acid ments s severe skin burns and eye damage. suse respiratory irritation. ry statements
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label element GHS label element Hazard picto Signal word Hazard-detent Hydrochlorid Hazard state H314 Causes H335 May co Precautional P260	H318 Causes serious eye damage. H335 May cause respiratory irritation. Hs ements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. suse respiratory irritation. ry statements Do not breathe dusts or mists.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label element GHS label element Hazard picto Signal word Hazard-detent Hydrochloric Hazard state H314 Causes H335 May ca Precautionant P260 P264	H318 Causes serious eye damage. H335 May cause respiratory irritation. ts lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. suse respiratory irritation. ry statements Do not breathe dusts or mists. Wash thoroughly after handling.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label elemen GHS label el Hazard picto Signal word Hazard-deten Hydrochloric Hazard state H314 Causes H335 May cd Precautionan P260 P264 P271	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. use respiratory irritation. ry statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label element GHS label element Hazard picto Signal word Hazard-detent Hydrochloric Hazard state H314 Causes H335 May co Precautionant P260 P264 P271 P280	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: : Acid ments s severe skin burns and eye damage. use respiratory irritation. ry statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label element Hazard picto Signal word Hazard-detent Hydrochloric Hazard state H314 Causes H335 May co Precautionant P260 P264 P271 P280 P301+P330-	H318 Causes serious eye damage. H335 May cause respiratory irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. use respiratory irritation. ry statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
Eye Dam. 1 Eye Dam. 1 STOT SE 3 Label element GHS label element Hazard picto Signal word Hazard-detent Hydrochloric Hazard state H314 Causes H335 May co Precautionant P260 P264 P271 P280 P301+P330-	H318 Causes serious eye damage. H335 May cause respiratory irritation. H35 lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS05, GHS07 Danger rmining components of labeling: c Acid ments s severe skin burns and eye damage. tuse respiratory irritation. ry statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. +P331 If swallowed: Rinse mouth. Do NOT induce vomiting.



Printing date 07/05/2018

Review date 07/05/2018

## Trade name: Palladium 1000 PPM A/S standard

Irade name: Pa	lladium 1000 PPM A/S standard		
		(Conto	d. of page 1)
P304+P340	IF INHALED: Remove person to fresh air and keep comform	table for breathing.	
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes.	Remove contact lenses,	if present
	and easy to do. Continue rinsing.		
P310	Immediately call a poison center/doctor.		
P321	Specific treatment (see on this label).		
P363	Wash contaminated clothing before reuse.		
P403+P233	Store in a well-ventilated place. Keep container tightly close	ed.	
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local regulations.	l/regional/national/inter	rnational
· Classificatio	on system:		
	gs (scale 0 - 4)		
	Health = 3		
	Fire = 0		
	Reactivity = 0		
· HMIS-ratin	gs (scale 0 - 4)		
HEALTH	3 11 14 2		
	$\begin{array}{l} 3 \\ Health = 3 \\ \end{array}$		
	• $Fire = 0$		
REACTIVITY	extriction Reactivity = 0		
formaldehya	t does not contain any organic halogen compounds (AOX), niti les. B <b>T and vPvB assessment</b> oplicable.	ates, heavy metal comp	ounds or
3 Compositi	on/information on ingredients		
· Chomical cl	haracterization: Substances		
· CAS No. De			
7732-18-5 W			
• Identificatio • EC number.			
	haracterization: Mixtures	• •	
*	Mixture of the substances listed below with nonhazardous addition	15.	
· Hazardous o	components:		
7647-01-0 1	Hydrochloric Acid	Skin Corr. 1B, H314	10.0%
		STOT SE 3, H335	
Additional			
· Additional (	-		0.10/
7440-05-3 <sub>I</sub>	Dalladium	🚸 Ox. Sol. 2, H272	0.1%
7722 10 7			00.00(

7732-18-5 Water

(Contd. on page 3)

89.9%



Printing date 07/05/2018

Review date 07/05/2018

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 2)

### 4 First-aid measures

· Description of first aid measures

- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed -
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### • Protective Action Criteria for Chemicals

• PAC-1:	
7647-01-0 Hydrochloric Acid	1.8 ppm
7440-05-3 palladium	6 mg/m <sup>3</sup>
• PAC-2:	
7647-01-0 Hydrochloric Acid	22 ppm
7440-05-3 palladium	66 mg/m <sup>3</sup>
• PAC-3:	
7647-01-0 Hydrochloric Acid	100 ppm
	(Contd. on page 4)



Printing date 07/05/2018

Review date 07/05/2018

(Contd. of page 3)

 $400 \text{ mg/m}^{3}$ 

#### Trade name: Palladium 1000 PPM A/S standard

7440-05-3 palladium

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 7647-01-0 Hydrochloric Acid

PEL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm

- *REL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm*
- TLV Ceiling limit value: 2.98 mg/m<sup>3</sup>, 2 ppm
- *Additional information:* The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



Printing date 07/05/2018

Review date 07/05/2018

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 4)

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

## 9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	Transparent	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	1	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	-
Density at 20 °C (68 °F):	1.02602 g/cm <sup>3</sup> (8.56214 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	

USA



*Printing date 07/05/2018* 

Review date 07/05/2018

#### Trade name: Palladium 1000 PPM A/S standard

		Contd. of page 5)
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	89.9 %	
VOC content:	0.00 %	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7647-01-0 Hydrochloric Acid

### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

3

USA



Printing date 07/05/2018

Review date 07/05/2018

(Contd. of page 6)

#### Trade name: Palladium 1000 PPM A/S standard

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1789	
· UN proper shipping name		
· DOT	Hydrochloric acid solution	
·ADR	1789 Hydrochloric acid solution	
	1789 HYDROCHLORIC ACID	
· IMDG, IATA	HYDROCHLORIC ACID solution	
		(Contd. on page



Printing date 07/05/2018

Review date 07/05/2018

	(0	Contd. of page
Transport hazard class(es)		
DOT		
Â		
CORROSVE B		
Class	8 Corrosive substances	
Label	8	
ADR		
Class Label	8 (C1) Corrosive substances 8	
	0	
IMDG, IATA		
Class	8 Corrosive substances	
Label	8	
Packing group DOT, ADR, IMDG, IATA	11	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category	E	
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L	
2	On cargo aircraft only: 30 L	
ADR		
Excepted quantities (EQ)	Code: E2	
······································	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	



\*

USA

## acc. to OSHA HCS

Printing date 07/05/2018

Review date 07/05/2018

### Trade name: Palladium 1000 PPM A/S standard

		(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II	

• •	alth and environmental regulations/legislatio	on specific for the substance or mixture	
7732-18-5			89.9%
7647-01-0	Hydrochloric Acid	<ul> <li>Skin Corr. 1B, H314</li> <li>STOT SE 3, H335</li> </ul>	10.0%
7440-05-3	palladium	🚸 Ox. Sol. 2, H272	0.1%
Sara	·	·	•
Section 35	5 (extremely hazardous substances):		
7647-01-0	Hydrochloric Acid		
Section 31	3 (Specific toxic chemical listings):		
7647-01-0	Hydrochloric Acid		
	xic Substances Control Act):		
0	ients are listed.		
	Hydrochloric Acid		
	palladium		
7732-18-5			
· Propositio			
	known to cause cancer:		
None of th	e ingredients is listed.		
· Chemicals	known to cause reproductive toxicity for fe	males:	
None of th	e ingredients is listed.		
· Chemicals	known to cause reproductive toxicity for mo	ales:	
None of th	e ingredients is listed.		
· Chemicals	known to cause developmental toxicity:		
None of th	e ingredients is listed.		
· Canceroge	enity categories		
· EPA (Env	ironmental Protection Agency)		
	e ingredients is listed.		
	e ingreatentis is tistea.		
None of th	eshold Limit Value established by ACGIH)		



#### Printing date 07/05/2018

Review date 07/05/2018

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 9)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

### **16 Other information**

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

#### · Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 \* \* Data compared to the previous version altered.