

Page 1/9

1 Identification

- · Product identifier
- · Trade name: STD, Samarium, 1000 ppm
- Article number N9303800
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com • Emergency telephone number: CHEMTREC (within US) 800-424-9300

CHEMTREC (within 05) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification


· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2A H319 Causes serious eve irritation. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0

(Contd. on page 2)



Review date 04/21/2017



(Contd. of page 1)

 HEALTH 1 FIRE 0 REACTIVITY 0 Reactivity = 0 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds formaldehydes. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Stormosition/information on ingredients Chemical characterization: Substances 	nds or
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compour formaldehydes. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. 3 Composition/information on ingredients • Chemical characterization: Substances	unds or
· Chemical characterization: Substances	
· CAS No. Description	
7732-18-5 Water	
· Identification number(s)	
• EC number: 231-791-2	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Hazardous components:	
7697-37-2 Nitric Acid 🚯 Ox. Liq. 2, H272	
Skin Corr. 1A, H314	2.0%
Skin Corr. 1A, H314	2.0%
Skin Corr. 1A, H314 Additional Components	2.0% 0.1%

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Trade name: STD, Samarium, 1000 ppm

(Contd. of page 2)

Page 3/9

· Personal p	recautions, protective equipment and emergency procedures Not required.	
	ntal precautions:	
	pective authorities in case of seepage into water course or sewage system.	
	plenty of water.	
	w to enter sewers/ surface or ground water.	
	nd material for containment and cleaning up: h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	to other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
· I rolecuve	Action Criteria for Chemicals	
· PAC-1:	Action Criteria for Chemicals	
PAC-1:	Nitric Acid	0.16 ppm
PAC-1:	Nitric Acid	0.16 ppm 30 mg/m3
• PAC-1: 7697-37-2	Nitric Acid	
• PAC-1: 7697-37-2 7440-19-9 • PAC-2:	Nitric Acid samarium	
• PAC-1: 7697-37-2 7440-19-9 • PAC-2:	Nitric Acid samarium Nitric Acid	30 mg/m3
• PAC-1: 7697-37-2 7440-19-9 • PAC-2: 7697-37-2	Nitric Acid samarium Nitric Acid	30 mg/m3 24 ppm
• PAC-1: 7697-37-2 7440-19-9 • PAC-2: 7697-37-2 7440-19-9 • PAC-3:	Nitric Acid samarium Nitric Acid samarium	30 mg/m3 24 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

	1	
· Components with limit values that require monitoring at the workplace:		
7697	-37-2 Nitric Acid	
PEL	Long-term value: 5 mg/m ³ , 2 ppm	
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm	
	(Contd. on page 4)	



*

Printing date 04/28/2017

Trade name: STD, Samarium, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.	(Contd. of pag
• Exposure controls	
· Personal protective equipment:	
• General protective equipment:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin.	
· Breathing equipment: Not required.	
· Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the prep	aration.
Selection of the glove material on consideration of the penetration times, rates of diffusion and	
· Material of gloves	
The selection of the suitable gloves does not only depend on the material, but also on further n	
varies from manufacturer to manufacturer. As the product is a preparation of several substant	
of the glove material can not be calculated in advance and has therefore to be checked prior to • Penetration time of glove material	o the application.
The exact break trough time has to be found out by the manufacturer of the protective glue	oves and has to
observed.	oves and has to
• Eye protection:	
Tightly sealed goggles or safety glasses	
Physical and chemical properties	

General Information		
Appearance:		
Form:	Liquid	
Color:	Transparent	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	

USA



Review date 04/21/2017

Page 5/9

Trade name: STD, Samarium, 1000 ppm

	(Contd. of pag
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
<i>Density at 20 °C (68 °F):</i>	1 g/cm ³ (8.345 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	97.9 %
Solids content:	0.1 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 6)



Review date 04/21/2017

Trade name: STD, Samarium, 1000 ppm

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT, ADR IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)
Transport hazard class(es)	
DOT	
CORRESSUE 8	
Class	8 Corrosive substances
	(Contd. on page



rade name: STD, Samarium, 1000 ppm	
	(Contd. of page
· Label	8
· ADR	
S. S	
\mathbf{V}	
· Class	8 (C1) Corrosive substances
· Label	8
· IMDG, IATA	
w 2	
×	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
• EMS Number:	F-A,S-B
· Segregation groups	Acids A
 Stowage Category Stowage Code 	A SW2 Clear of living quarters.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<i>II of</i> Not applicable.
• Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· ADR	
\cdot Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	51
· Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1
· Excepted quantities (EQ)	Coae: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging. 50 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
· 01 model Regulation:	(NITRIC ACID), 8, III

(Contd. on page 8)



Trade name: STD, Samarium, 1000 ppm

(Contd. of page 7)

Page 8/9

· Safety her	alth and environmental regulations/legislation specific for the substance or mixture	
7732-18-5		97.9
	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0
7440-19-9	samarium	0.1
· Sara		
· Section 35	5 (extremely hazardous substances):	
	Nitric Acid	
	3 (Specific toxic chemical listings):	
	Nitric Acid	
	xic Substances Control Act): ents are listed.	
7697-37-2	Nitric Acid	
7440-19-9	samarium	
7732-18-5	Water	
· Propositio	n 65	
-	known to cause cancer:	
	e ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
	e ingredients is listed.	
•		
	known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	e ingredients is listed.	
· Canceroge	nity categories	
	ironmental Protection Agency)	
-	e ingredients is listed.	
*	-	
	eshold Limit Value established by ACGIH)	
	e ingredients is listed.	
	a (National Institute for Occupational Safety and Health)	
•	e ingredients is listed.	~
	elements The product is classified and labeled according to the Globally Harmonized System (GHS
• Hazara pic • Signal wor	ctograms GHS07	
· Signal wor		
-	ses skin irritation.	
	ses serious eye irritation.	
	nary statements	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves / eye protection / face protection.	
P302+P35		
P305+P35	i1+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if and easy to do. Continue rinsing.	^r pre.
P321	Specific treatment (see on this label).	



Review date 04/21/2017

Trade name: STD, Samarium, 1000 ppm

(Contd. of page 8)

Page 9/9

P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Contact:

With in the USA: 1-(800)-762-4000 Out side the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A \cdot * Data compared to the previous version altered.