

**acc. to OSHA HCS**

Printing date 06/12/2018

Review date 06/12/2018

**1 Identification**

- **Product identifier**
- **Trade name:** STD, Interferents A
- **Article number** N9303827
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

- **Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS05
- **Signal word** Danger

- **Hazard-determining components of labeling:**

Nitric Acid

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

(Contd. on page 2)

acc. to OSHA HCS

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Substances**
- **CAS No. Description**  
7732-18-5 Water
- **Identification number(s)**
- **EC number:** 231-791-2
- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous components:**

7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%
-----------	-------------	---	------

· **Additional Components**

7440-70-2	calcium Water-react. 2, H261	0.3%
7439-89-6	iron	0.25%
7440-23-5	sodium Water-react. 1, H260 Skin Corr. 1B, H314	0.25%
7440-44-0	carbon Flam. Sol. 1, H228	0.2%
7664-39-3	Hydrofluoric acid Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	0.2%

(Contd. on page 3)

acc. to OSHA HCS

Printing date 06/12/2018

Review date 06/12/2018

Trade name: STD, Interferents A

		(Contd. of page 2)
7723-14-0	red phosphorus ⚠ Flam. Liq. 2, H225; Flam. Sol. 1, H228	0.1%
7440-09-7	potassium ⚠ Water-react. 1, H260 ⚠ Skin Corr. 1B, H314	0.1%
7439-95-4	magnesium ⚠ Pyr. Sol. 1, H250; Water-react. 1, H260	0.1%
7704-34-9	sulfur ⚠ Skin Irrit. 2, H315	0.1%
7429-90-5	aluminium	0.1%
7782-50-5	chlorine ⚠ Oxid. Gas 1, H270 ⚠ Acute Tox. 3, H331 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0.0021%
7440-32-6	titanium ⚠ Self-heat. 1, H251; Water-react. 1, H260	0.002%
1313-27-5	molybdenum trioxide ⚠ Carc. 2, H351 ⚠ Eye Irrit. 2A, H319; STOT SE 3, H335	0.002%
7732-18-5	Water	93.2939%

**4 First-aid measures**

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

USA

(Contd. on page 4)

acc. to OSHA HCS

Printing date 06/12/2018

Review date 06/12/2018

Trade name: STD, Interferents A

(Contd. of page 3)

**6 Accidental release measures**

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
7439-89-6	iron	3.2 mg/m <sup>3</sup>
7440-23-5	sodium	13 mg/m <sup>3</sup>
7440-44-0	carbon	6 mg/m <sup>3</sup>
7723-14-0	red phosphorus	0.27 mg/m <sup>3</sup>
7440-09-7	potassium	2.3 mg/m <sup>3</sup>
7439-95-4	magnesium	18 mg/m <sup>3</sup>
7782-50-5	chlorine	0.50 ppm
7440-32-6	titanium	30 mg/m <sup>3</sup>
1313-27-5	molybdenum trioxide	2.3 mg/m <sup>3</sup>

· **PAC-2:**

7697-37-2	Nitric Acid	24 ppm
7439-89-6	iron	35 mg/m <sup>3</sup>
7440-23-5	sodium	140 mg/m <sup>3</sup>
7440-44-0	carbon	330 mg/m <sup>3</sup>
7723-14-0	red phosphorus	3 mg/m <sup>3</sup>
7440-09-7	potassium	25 mg/m <sup>3</sup>
7439-95-4	magnesium	200 mg/m <sup>3</sup>
7782-50-5	chlorine	2.0 ppm
7440-32-6	titanium	330 mg/m <sup>3</sup>
1313-27-5	molybdenum trioxide	43 mg/m <sup>3</sup>

· **PAC-3:**

7697-37-2	Nitric Acid	92 ppm
7439-89-6	iron	150 mg/m <sup>3</sup>
7440-23-5	sodium	870 mg/m <sup>3</sup>

(Contd. on page 5)

acc. to OSHA HCS

Printing date 06/12/2018

Review date 06/12/2018

Trade name: STD, Interferents A

		(Contd. of page 4)
7440-44-0	carbon	2,000 mg/m <sup>3</sup>
7723-14-0	red phosphorus	18 mg/m <sup>3</sup>
7440-09-7	potassium	150 mg/m <sup>3</sup>
7439-95-4	magnesium	1,200 mg/m <sup>3</sup>
7782-50-5	chlorine	20 ppm
7440-32-6	titanium	2,000 mg/m <sup>3</sup>
1313-27-5	molybdenum trioxide	260 mg/m <sup>3</sup>

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7697-37-2 Nitric Acid	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.

(Contd. on page 6)

**acc. to OSHA HCS**

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 5)

**· Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**



Tightly sealed goggles or safety glasses

**9 Physical and chemical properties**

**· Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Transparent
<b>· Odor:</b>	Characteristic
<b>· Odor threshold:</b>	Not determined.

**· pH-value:** Not determined.

**· Change in condition**

<b>Melting point/Melting range:</b>	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)

**· Flash point:** Not applicable.

**· Flammability (solid, gaseous):** Not applicable.

**· Decomposition temperature:** Not determined.

**· Auto igniting:** Product is not selfigniting.

**· Danger of explosion:** Product does not present an explosion hazard.

**· Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

**· Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

(Contd. on page 7)

*acc. to OSHA HCS*

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 6)

· <b>Density at 20 °C (68 °F):</b>	1 g/cm <sup>3</sup> (8.345 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
--	-----------------

· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

· <b>Solvent content:</b>	
<b>Water:</b>	93.3 %
<b>VOC content:</b>	0.00 %

<b>Solids content:</b>	1.1 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Corrosive
- Irritant
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

*acc. to OSHA HCS*

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 7)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation:**

Dispose of container and materials in accordance with local, regional and national regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

· **UN-Number**

· **DOT, ADR, IMDG, IATA** UN3264

· **UN proper shipping name**

· **DOT** Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)

· **ADR** 3264 Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)

· **IMDG, IATA** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

(Contd. on page 9)



*acc. to OSHA HCS*

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 8)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 *Corrosive substances*  
· **Label** 8

· **ADR**



· **Class** 8 (C1) *Corrosive substances*  
· **Label** 8

· **IMDG, IATA**



· **Class** 8 *Corrosive substances*  
· **Label** 8

· **Packing group**  
· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:**  
· **Marine pollutant:** No

· **Special precautions for user** Warning: *Corrosive substances*  
· **Danger code (Kemler):** 80  
· **EMS Number:** F-A,S-B  
· **Segregation groups** Acids  
· **Stowage Category** A  
· **Stowage Code** SW2 *Clear of living quarters.*

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**  
· **Quantity limitations** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L

· **ADR**  
· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

acc. to OSHA HCS

Printing date 06/12/2018

Review date 06/12/2018




**Trade name: STD, Interferents A**

(Contd. of page 9)

· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		93.2939%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	5.0%
7440-70-2	calcium	 Water-react. 2, H261	0.3%

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	Nitric Acid
7723-14-0	red phosphorus
7782-50-5	chlorine

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	Nitric Acid
7723-14-0	red phosphorus
7429-90-5	aluminium
7782-50-5	chlorine
1313-27-5	molybdenum trioxide

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7697-37-2	Nitric Acid
7440-70-2	calcium
7439-89-6	iron
7440-23-5	sodium
7440-44-0	carbon
7723-14-0	red phosphorus
7440-09-7	potassium
7439-95-4	magnesium
7704-34-9	sulfur
7429-90-5	aluminium
7782-50-5	chlorine
7440-32-6	titanium

(Contd. on page 11)

*acc. to OSHA HCS*

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 10)

1313-27-5	molybdenum trioxide
7732-18-5	Water

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7723-14-0	red phosphorus	D
-----------	----------------	---

· **TLV (Threshold Limit Value established by ACGIH)**

7429-90-5	aluminium	A4
7782-50-5	chlorine	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 12)

*acc. to OSHA HCS*

Printing date 06/12/2018

Review date 06/12/2018

**Trade name: STD, Interferents A**

(Contd. of page 11)

ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Ox. Liq. 2: Oxidizing liquids – Category 2  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
· **\* Data compared to the previous version altered.**

USA