

*

*

acc. to OSHA HCS

Printing date 08/13/2018

Review date 08/13/2018

Product ident	ifier	
Trade name:		lmer Pure IV
Article number Application of		ce / the mixture Laboratory chemicals
		he safety data sheet
Manufacturer		
PerkinElmer,		
710 Bridgepon		4 170 4
Shelton, Conn CustomerCare		
203-925-4600		
Emergency te CHEMTREC	lephone num (within US)	n ber: R00-424-9300
		US) +1 703-527-3887 (call collect)
		-(61)-290372994
Hazard(s) i	dontificatio	าท
$11\mathbf{u}_{\mathbf{x}}\mathbf{u}_{\mathbf{x}}\mathbf{u}_{\mathbf{x}}\mathbf{u}_{\mathbf{x}}\mathbf{x}$	ueniijicaiio	<i>///</i>
Classification	of the substa	ince or mixture
	1.1 1 1	
Hec	alth hazard	
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
-	H350	May cause ancers.
		•
	H360-H362	May damage fertility or the unborn child. May cause harm to breast-fed children.
	H360-H362	May damage fertility or the unborn child. May cause harm to breast-fed children.
Repr. 1A		May damage fertility or the unborn child. May cause harm to breast-fed children.
Repr. 1A	H360-H362 rosion	May damage fertility or the unborn child. May cause harm to breast-fed children.
Repr. 1A	rosion	
Repr. 1A	rosion H314	May damage fertility or the unborn child. May cause harm to breast-fed children. Causes severe skin burns and eye damage. Causes serious eye damage.
Repr. 1A	rosion H314	Causes severe skin burns and eye damage.
Repr. 1A	rosion H314	Causes severe skin burns and eye damage.
Repr. 1A	rosion H314	Causes severe skin burns and eye damage.
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1	rosion H314	Causes severe skin burns and eye damage.
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Cor Skin Sens. 1	rosion H314 H318 H317	Causes severe skin burns and eye damage. Causes serious eye damage.
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Cor Skin Sens. 1 Label element GHS label ele	rosion H314 H318 H317 ts ments The pr	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog	rosion H314 H318 H317 ts ments The pr grams GHS05	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog Signal word D	rosion H314 H318 H317 ts ments The pr grams GHS05 Danger	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH 5, GHS08
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog Signal word L Hazard-detern	rosion H314 H318 H317 ts ments The pr grams GHS05 Danger	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog Signal word L Hazard-detern Nitric Acid	rosion H314 H318 H317 ts ments The pr grams GHS05 Danger nining comp	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH 5, GHS08
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog Signal word L Hazard-detern	rosion H314 H318 H317 ts ments The pr grams GHS05 Danger nining comp	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH. 5, GHS08
Repr. 1A Cor Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Label element GHS label ele Hazard pictog Signal word L Hazard-detern Nitric Acid cadmium (non	rosion H314 H318 H317 ts ments The pr grams GHS05 Danger nining comp	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. roduct is classified and labeled according to the Globally Harmonized System (GH. 5, GHS08



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

Hazard sta	(Contd. of page 1)
Hazara su H314	Causes severe skin burns and eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H350	May cause cancer.
	May cause cancer. 2 May damage fertility or the unborn child. May cause harm to breast-fed children.
	ary statements
P201	Obtain special instructions before use.
P202	
F 202 P260	Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists.
P260 P263	
	Avoid contact during pregnancy/while nursing.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
	0+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P36	51+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water, shower.
P304+P34	
	i1+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen
1 505 11 55	and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P31	
P321	Specific treatment (see on this label).
P333+P31	
P342+P31	
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• NFPA ratings (scale 0 - 4)



• HMIS-ratings (scale 0 - 4)

HEALTH*3Health = *3FIRE0Fire = 0REACTIVITY0Reactivity = 0

• Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 3)

USA



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

	components: Nitric Acid		10.0%
/09/-3/-2			- 10.07
	🚸 Ox. Liq. 2, H272 🚯 Skin Corr. 1A, H314		
7439-92-1	v		0.1%
7457 72 1	Acute Tox. 3, H301		
	Carc. 2, H351; Repr. 1A, H3	360-H362	
	Acute Tox. 4, H332		
7440-02-0	nickel		0.1%
	🚸 Carc. 2, H351; STOT RE 1,	H372	- 1
	🚯 Skin Sens. 1, H317		
7440-43-9	cadmium (non-pyrophoric)		0.1%
	Acute Tox. 2, H330 Muta. 2, H341; Carc. 1B, H.	350; Repr. 2, H361; STOT RE 1, H372	
7440-48-4	cobalt		0.1%
	發 Resp. Sens. 1, H334; Carc. 2	P, H351	- 1
	🚯 Skin Sens. 1, H317		
Additional	Components		
7429-90-5	aluminium		0.1%
7440-42-8	boron	🚸 Acute Tox. 3, H301	0.1%
7439-89-6	iron		0.1%
7440-55-3	gallium	<i> </i>	0.1%
7440-39-3	barium	Water-react. 2, H261	0.1%
7439-96-5	manganese		0.1%
7440-69-9			0.1%
7440-74-6	Indium		0.1%
7440-70-2	calcium	Water-react. 2, H261	0.1%
7440-09-7	potassium	Water-react. 1, H260	0.1%
	1	Skin Corr. 1B, H314	
7439-93-2	lithium	Water-react. 1, H260	0.1%
		Skin Corr. 1B, H314	
7439-95-4	magnesium	🐼 Pyr. Sol. 1, H250; Water-react. 1, H260	0.1%
7440-23-5	sodium	Water-react. 1, H260	0.1%
		orr. 1B, H314	
7440-24-6	strontium	Water-react . 1, H260	0.1%
7440-28-0	thallium	Acute Tox. 2, H300; Acute Tox. 2, H330	0.1%

(Contd. of page 2)



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

		(Contd.	of page 3)
7440-22-4			0.1%
7440-50-8			0.1%
7440-47-3	chromium		0.1%
7440-66-6	zinc	🚸 Water-react. 2, H261	0.1%
7732-18-5	Water		87.7%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 5)

USA



Printing date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

Review date 08/13/2018

Protective Action (riteria for Chemicals	(Contd. of page
PAC-1:	ueria for Chemicals	
7697-37-2 Nitric A	rid	0.16 ppm
7440-42-8 boron		1.9 mg/m ³
7439-89-6 iron		3.2 mg/m ³
7440-55-3 gallium		30 mg/m ³
7440-39-3 barium		1.5 mg/m ³
7439-96-5 mangan	256	<u>3 mg/m³</u>
7440-69-9 bismuth		15 mg/m^3
7440-74-6 Indium		0.3 mg/m ³
7439-92-1 lead		0.15 mg/m
7440-09-7 potassiu	m	2.3 mg/m ³
7439-93-2 lithium		3.3 mg/m ³
7439-95-4 magnesi	um	18 mg/m ³
7440-23-5 sodium		13 mg/m ³
7440-24-6 strontiu	n	30 mg/m ³
7440-28-0 thallium		0.06 mg/m
7440-02-0 nickel		4.5 mg/m ³
7440-22-4 silver		0.3 mg/m ³
7440-50-8 copper		3 mg/m ³
7440-43-9 cadmiun	a (non-pyrophoric)	0.10 mg/m
7440-47-3 chromiu	n	1.5 mg/m ³
7440-66-6 zinc		6 mg/m ³
7440-48-4 cobalt		0.18 mg/m
PAC-2:		
7697-37-2 Nitric A	rid	24 ppm
7440-42-8 boron		21 mg/m ³
7439-89-6 iron		35 mg/m ³
7440-55-3 gallium		330 mg/m ³
7440-39-3 barium		180 mg/m ³
7439-96-5 mangan	250	5 mg/m ³
7440-69-9 bismuth		170 mg/m ³
7440-74-6 Indium		3.3 mg/m ³
7439-92-1 lead		120 mg/m ³
7440-09-7 potassiu	m	$25 mg/m^3$
7439-93-2 lithium		36 mg/m ³
7439-95-4 magnesi	um	200 mg/m ³
7440-23-5 sodium		140 mg/m ³
7440-24-6 strontiu	n	330 mg/m ³
7440-28-0 thallium		3.3 mg/m ³



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

		(Contd. of page 5)
7440-02-0	nickel	50 mg/m ³
7440-22-4	silver	170 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	$0.76 \ mg/m^3$
7440-47-3	chromium	17 mg/m ³
7440-66-6	zinc	21 mg/m ³
7440-48-4	cobalt	$2 mg/m^3$
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7440-42-8	boron	130 mg/m ³
7439-89-6	iron	150 mg/m ³
7440-55-3	gallium	2,000 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-69-9	bismuth	990 mg/m ³
7440-74-6	Indium	20 mg/m^3
7439-92-1	lead	700 mg/m ³
7440-09-7	potassium	150 mg/m ³
7439-93-2	lithium	220 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-24-6	strontium	2,000 mg/m ³
7440-28-0	thallium	20 mg/m^3
7440-02-0	nickel	99 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	$4.7 mg/m^3$
7440-47-3		99 mg/m ³
7440-66-6	zinc	120 mg/m ³
7440-48-4	cobalt	20 mg/m^3

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 7)

USA



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

(Contd. of page 6)

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

0	ollowing constituents are the only constituents of the product which have a PEL, TLV or other recommende sure limit.
1	is time, the remaining constituent has no known exposure limits.
7697	-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm
7440	-02-0 nickel
PEL	Long-term value: 1 mg/m ³
	Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m ³ elemental, *inhalable fraction
	-43-9 cadmium (non-pyrophoric)
	Long-term value: 0.005 mg/m ³ as Cd; see 29 CFR 1910.1027
REL	See Pocket Guide App. A
TLV	Long-term value: 0.01 0.002* mg/m ³ as Cd; *respirable fraction; BEI
7440	-48-4 cobalt
	Long-term value: 0.1* mg/m ³ as Co; *for metal dust and fume
	Long-term value: 0.05 mg/m ³ as Co; metal dust & fume
TLV	Long-term value: (0.02) NIC-0.02* mg/m ³ *inh. fraction; NIC-Skin, DSEN, RSEN, BEI



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

	(Contd. of page 7)
U	edients with biological limit values:
7440	0-43-9 cadmium (non-pyrophoric)
BEI	5 μg/g creatinine Medium: urine Time: not critical Parameter: Cadmium (background)
	5 μg/L Medium: blood Time: not critical Parameter: Cadmium (background)
7440	0-48-4 cobalt
BEI	15 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background) 1 μg/L
	Medium: blood Time: end of shift at end of workweek Parameter: Cobalt (background, semi-quantitative)
Keep Imm Was Stor Avoi Avoi • Brea In co resp	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes and skin. athing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use iratory protective device that is independent of circulating air. ection of hands:
ent	Protective gloves
Select • Mate The variation of th	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation e rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	e glove material can not be calculated in advance and has therefore to be checked prior to the application. etration time of glove material
The	



*

Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

(Contd. of page 8)

• Eye protection:



Tightly sealed goggles or safety glasses

· Information on basic physical and c	chemical properties	
· General Information		
· Appearance: Form:	Linuid	
Form: Color:	Liquid Dark brown	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	87.7 %	



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

		(Contd. of page 9)
VOC content:	0.00 %	
Solids content: • Other information	2.3 % No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7440-43-9 cadmium (non-pyrophoric)

Oral LD50 225 mg/kg (rat)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7439-92-1	lead	2B
7440-02-0	nickel	2B
7440-43-9	cadmium (non-pyrophoric)	1
7440-47-3	chromium	3
7440-48-4	cobalt	2B
	(Contd. on pa	ige 1



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

(Contd. of page 10)

R

R K

R

· NTP (National Toxicology Program)

7439-92-1 lead

7440-02-0 nickel

7440-43-9 cadmium (non-pyrophoric)

7440-48-4 cobalt

· OSHA-Ca (Occupational Safety & Health Administration)

7440-43-9 cadmium (non-pyrophoric)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes: Generally not hazardous for water
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

• Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	UN2031	
· UN proper shipping name		
$\cdot DOT$	Nitric acid	
· ADR	2031 Nitric acid	
· IMDG, IATA	NITRIC ACID	



Printing date 08/13/2018

acc. to OSHA HCS

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV (Contd. of page 11) • Transport hazard class(es) ·DOT · Class 8 Corrosive substances · Label 8 · ADR · Class 8 (C1) Corrosive substances · Label 8 · IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group · DOT, ADR, IMDG, IATA Π • Environmental hazards: • Marine pollutant: No Warning: Corrosive substances · Special precautions for user · Danger code (Kemler): 80 · EMS Number: F-A, S-B· Segregation groups Acids · Stowage Category D · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: $\cdot DOT$ · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L · ADR \cdot Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 13) USA



Printing date 08/13/2018

Review date 08/13/2018

(Contd. of page 12)

USA

Trade name: Std, PerkinElmer Pure IV

	(Conta. of page 12)
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2031 NITRIC ACID, 8, II

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture 7732-18-5 Water 87.7% 7697-37-2 Nitric Acid 10.0% Ox. Liq. 2, H272
Skin Corr. 1A, H314 7440-42-8 boron 🛞 Acute Tox. 3, H301 0.1% · Sara · Section 355 (extremely hazardous substances): 7697-37-2 Nitric Acid · Section 313 (Specific toxic chemical listings): 7697-37-2 Nitric Acid 7429-90-5 aluminium 7440-39-3 barium 7439-96-5 manganese 7439-92-1 lead 7440-28-0 thallium 7440-02-0 nickel 7440-22-4 silver 7440-50-8 copper 7440-43-9 cadmium (non-pyrophoric) 7440-47-3 chromium 7440-66-6 zinc 7440-48-4 cobalt • TSCA (Toxic Substances Control Act): All ingredients are listed. 7697-37-2 Nitric Acid 7429-90-5 aluminium 7440-42-8 boron 7439-89-6 iron 7440-55-3 gallium 7440-39-3 barium 7439-96-5 manganese (Contd. on page 14)



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV (Contd. of page 13) 7440-69-9 bismuth 7440-74-6 Indium 7439-92-1 lead 7440-70-2 calcium 7440-09-7 potassium 7439-93-2 lithium 7439-95-4 magnesium 7440-23-5 sodium 7440-24-6 strontium 7440-28-0 thallium 7440-02-0 nickel 7440-22-4 silver 7440-50-8 copper 7440-43-9 cadmium (non-pyrophoric) 7440-47-3 chromium 7440-66-6 zinc 7440-48-4 cobalt 7732-18-5 Water · Proposition 65 · Chemicals known to cause cancer: 7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium (non-pyrophoric) 7440-48-4 cobalt · Chemicals known to cause reproductive toxicity for females: 7439-92-1 lead · Chemicals known to cause reproductive toxicity for males: 7439-92-1 lead 7440-43-9 cadmium (non-pyrophoric) · Chemicals known to cause developmental toxicity: 7439-92-1 lead 7440-43-9 cadmium (non-pyrophoric) · Cancerogenity categories · EPA (Environmental Protection Agency) 7440-42-8 boron I (oral) 7440-39-3 barium D, CBD(inh), NL(oral) 7439-96-5 manganese D 7439-92-1 lead B2 7440-22-4 silver D (Contd. on page 15)



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

		(Contd. of page 14)	
7440-50-8	copper	D	
7440-43-9	cadmium (non-pyrophoric)	Bl	
7440-47-3	chromium	D	
7440-66-6	zinc D, I, II		
· TLV (Threshold Limit Value established by ACGIH)			
7429-90-5	aluminium	A4	
7440-39-3	barium	A4	
7439-92-1	lead	A3	
7440-02-0	nickel	A5	
7440-43-9	cadmium (non-pyrophoric)	A2	
7440-47-3	chromium	A4	
7440-48-4	cobalt	A3	

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel

7440-43-9 cadmium (non-pyrophoric)

· National regulations:

Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

• Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>16 Other information</u>

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 *Outside the USA:* 1-(203)-712-8488

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 16)



Printing date 08/13/2018

Review date 08/13/2018

Trade name: Std, PerkinElmer Pure IV

(Contd. of page 15) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 1A: Reproductive toxicity - Category 1A *Repr. 2: Reproductive toxicity – Category 2* STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 • * Data compared to the previous version altered. US A