

Printing date 07/10/2018

Review date 07/10/2018

U	ïer
· Trado namo. S	TD ICH PREC METAL IMP B W/OS 125 ML
• Article number	
	the substance / the mixture Laboratory chemicals
	upplier of the safety data sheet
· Manufacturer/	
PerkinElmer, I	
710 Bridgeport	
	cticut 06484 USA
CustomerCare 203-925-4600	US@perkinelmer.com
· Emergency tele	enhane numher.
	vithin US) 800-424-9300
	From outside US) $+1.703-527-3887$ (call collect)
	vithin AU) +(61)-290372994
2 11	
2 Hazard(s) id	entification
· Classification of	of the substance or mixture
\mathbf{v}	
Skin Irrit. 2 H	1315 Causes skin irritation.
Eye Irrit. 2A H	1319 Causes serious eye irritation.
•	1335 May cause respiratory irritation.
· Label elements	
	nents The product is classified and labeled according to the Globally Harmonized System (GHS)
· Hazard pictogr	ams GHS07
\cdot Signal word W	arning
· Hazard-determ	ining components of labeling:
	lcid
Hydrochloric A	
Hydrochloric A • Hazard statem	
Hydrochloric A • Hazard statem H315 Causes st	kin irritation.
Hydrochloric A • Hazard statem H315 Causes s H319 Causes s	kin irritation. erious eye irritation.
Hydrochloric A • Hazard statem H315 Causes s H319 Causes s H335 May caus	kin irritation. erious eye irritation. se respiratory irritation.
Hydrochloric A Hazard statem H315 Causes s H319 Causes s H335 May caus Precautionary	kin irritation. erious eye irritation. se respiratory irritation. statements
Hydrochloric A • Hazard statem H315 Causes s H319 Causes s H335 May caus	kin irritation. erious eye irritation. se respiratory irritation. s tatements Avoid breathing dust/fume/gas/mist/vapors/spray
Hydrochloric A • Hazard statem H315 Causes s H319 Causes s H335 May caus • Precautionary P261	kin irritation. erious eye irritation. se respiratory irritation. statements
Hydrochloric A Hazard statemu H315 Causes s H319 Causes s H335 May cau Precautionary P261 P264 P271 P280	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection.
Hydrochloric A Hazard statemu H315 Causes s H319 Causes s H335 May cau Precautionary P261 P264 P271 P280 P302+P352	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.
Hydrochloric A Hazard statemu H315 Causes s H319 Causes s H335 May caus Precautionary P261 P264 P271 P280 P302+P352 P304+P340	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Hydrochloric A Hazard statemu H315 Causes s H319 Causes s H335 May caus Precautionary P261 P264 P271 P280 P302+P352 P304+P340	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. '338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
Hydrochloric A Hazard statem H315 Causes s H319 Causes s H335 May caus Precautionary P261 P264 P271 P280 P302+P352 P304+P340 P305+P351+F	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. '338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.
Hydrochloric A • Hazard statema H315 Causes s H319 Causes s H335 May caus • Precautionary P261 P264 P271 P280 P302+P352 P304+P340 P305+P351+F P312	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. 2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell.
Hydrochloric A Hazard statem H315 Causes s H319 Causes s H335 May caus Precautionary P261 P264 P271 P280 P302+P352 P304+P340 P305+P351+F	kin irritation. erious eye irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. '338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if preso and easy to do. Continue rinsing.



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 1) P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0*Reactivity* = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2FIRE Fire = 00 **REACTIVITY O** Reactivity = 0**Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions. · Hazardous components: 7647-01-0 Hydrochloric Acid 15.0% · Additional Components

Auanonai	Components		
7440-06-4	platinum		0.0001%
7440-16-6	rhodium		0.0001%
7440-18-8	ruthenium		0.0001%
7440-04-2		♦ Acute Tox. 2, H300; Acute Tox. 2, H330	0.0001%
7440-05-3	palladium	🚸 Ox. Sol. 2, H272	0.0001%
7439-88-5	iridium		0.0001%
7732-18-5	Water		84.9994%

(Contd. on page 3)



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- **Reference** to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

		• PAC-1:
1.8 ppm	Hydrochloric Acid	7647-01-0
3 mg/m ³	platinum	7440-06-4
3 mg/m ³	rhodium	7440-16-6
30 mg/m ³	ruthenium	7440-18-8
0.28 mg/m ³	osmium	7440-04-2
6 mg/m ³	palladium	7440-05-3
4.7 mg/m ³	iridium	7439-88-5
		· PAC-2:
22 ppm	Hydrochloric Acid	7647-01-0
33 mg/m ³	platinum	7440-06-4
Co	pratmant	7440-00-4



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

		(Contd. of page 3)
7440-16-6	rhodium	33 mg/m ³
7440-18-8	ruthenium	330 mg/m ³
7440-04-2	osmium	3.1 mg/m ³
7440-05-3	palladium	66 mg/m ³
7439-88-5	iridium	51 mg/m ³
• PAC-3:		
7647-01-0	Hydrochloric Acid	100 ppm
7440-06-4	platinum	200 mg/m ³
7440-16-6	rhodium	200 mg/m ³
7440-18-8	ruthenium	$2,000 \text{ mg/m}^3$
7440-04-2	osmium	19 mg/m ³
7440-05-3	palladium	400 mg/m ³
7439-88-5	iridium	310 mg/m ³

7 Handling and storage

· Handling:

• *Precautions for safe handling* No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm

REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)



Printing date 07/10/2018

Review date 07/10/2018

(Contd. of page 4)

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

• Information on basic physical and • General Information • Appearance:	chemical properties	
Form:	Liquid	
Color:	Clear	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
		(Contd. on page 6)

USA



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	85.0 %	
VOC content:	0.00 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7647-01-0 Hydrochloric Acid

Oral LD50 900 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 6)

3

Irritant

· Carcinogenic categories

• *IARC (International Agency for Research on Cancer)* 7647-01-0 Hydrochloric Acid

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

	(Contd. of pag
Transport hazard class(es)	
DOT	
- Class	8 Corrosive substances
Label	8
ADR	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
*	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Na
Marine pollutant:	No
Special precautions for user Danger code (Kemler):	Warning: Corrosive substances 80
EMS Number:	<i>F-A,S-B</i>
Segregation groups	Acids
Stowage Category	E
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
455	On cargo aircraft only. 50 L
ADR Excepted quantities (EQ)	Code: E2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on page



*

acc. to OSHA HCS

Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 8)

·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, II

7732-18-5	Water		84.999
	Hydrochloric Acid	 Skin Corr. 1B, H314 STOT SE 3, H335 	15.09
7440-16-6	rhodium	· · · · · · · · · · · · · · · · · · ·	0.0001
Sara			
Section 35.	5 (extremely hazardous substances):		
7647-01-0	Hydrochloric Acid		
Section 31.	3 (Specific toxic chemical listings):		
7647-01-0	Hydrochloric Acid		
7647-01-0 7440-06-4 7440-16-6 7440-18-8 7440-04-2 7440-05-3 7439-88-5 7732-18-5	rhodium ruthenium osmium palladium iridium		
• Proposition			
-	known to cause cancer:		
	e ingredients is listed.		
	known to cause reproductive toxicity for	r females:	
	e ingredients is listed.	Je	
,	known to cause reproductive toxicity for	r males.	
	e ingredients is listed.	пшиз.	
none of the	ingi culture les lisitu.		

(Contd. on page 10) USA



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 9)

A4

A4

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7647-01-0 Hydrochloric Acid

7440-16-6 rhodium

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINES: European Inventory of Existing Commercial Ch ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

(Contd. on page 11)



Printing date 07/10/2018

Review date 07/10/2018

Trade name: STD ICH PREC METAL IMP B W/OS 125 ML

(Contd. of page 10)

HS /

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.