

1 Identification

- **Product identifier**
- **Trade name:** STD- PERKINELMER PURE VI
- **Article number** N9307741
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS05
- **Signal word** Danger

- **Hazard-determining components of labeling:**

Nitric Acid

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

(Contd. on page 2)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients














· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous components:**

7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	6.1%
-----------	-------------	---	------

























· **Additional Components**

7440-70-2	calcium		0.1%
	 Water-react. 2, H261		
7440-42-8	boron		0.01%
	 Acute Tox. 3, H301		
7440-41-7	beryllium		0.01%
	 Acute Tox. 3, H301; Acute Tox. 2, H330  Carc. 1B, H350; STOT RE 1, H372  Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335		
7440-38-2	Arsenic		0.01%
	 Acute Tox. 3, H301; Acute Tox. 3, H331  Carc. 1A, H350		
7439-89-6	iron		0.01%
7782-49-2	selenium		0.01%
	 Acute Tox. 3, H301; Acute Tox. 3, H331  STOT RE 2, H373		
7440-66-6	zinc		0.01%
	 Water-react. 2, H261		
7440-48-4	cobalt		0.001%
	 Resp. Sens. 1, H334; Carc. 2, H351  Skin Sens. 1, H317		
7440-47-3	chromium		0.001%
7440-50-8	copper		0.001%
7440-69-9	bismuth		0.001%
7440-55-3	gallium		0.001%
	 Skin Corr. 1C, H314		

(Contd. on page 3)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 2)

7440-09-7	potassium  Water-react. 1, H260  Skin Corr. 1B, H314	0.001%
7439-93-2	lithium  Water-react. 1, H260  Skin Corr. 1B, H314	0.001%
7439-95-4	magnesium  Pyr. Sol. 1, H250; Water-react. 1, H260	0.001%
7439-96-5	manganese	0.001%
7439-98-7	molybdenum	0.001%
7440-23-5	sodium  Water-react. 1, H260  Skin Corr. 1B, H314	0.001%
7440-02-0	nickel  Carc. 2, H351; STOT RE 1, H372  Skin Sens. 1, H317	0.001%
7439-92-1	lead  Acute Tox. 3, H301  Carc. 2, H351; Repr. 1A, H360; STOT RE 2, H373  Acute Tox. 4, H332	0.001%
7440-17-7	rubidium  Water-react. 1, H260  Skin Corr. 1B, H314; Eye Dam. 1, H318	0.001%
7440-39-3	barium  Water-react. 2, H261	0.001%
7440-24-6	strontium  Water-react. 1, H260	0.001%
13494-80-9	tellurium  Acute Tox. 3, H301  Eye Irrit. 2A, H319; STOT SE 3, H335	0.001%
7440-28-0	thallium  Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373	0.001%
7440-61-1	uranium  Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373	0.001%
7440-62-2	vanadium	0.001%
7440-43-9	cadmium (non-pyrophoric)  Acute Tox. 2, H330  Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372	0.001%
7429-90-5	aluminium	0.001%
7440-22-4	silver	0.001%
7732-18-5	Water	93.717%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 4)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 3)

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-I:

7697-37-2	Nitric Acid	0.16 ppm
7440-42-8	boron	1.9 mg/m ³
7440-41-7	beryllium	0.0023 mg/m ³
7440-38-2	Arsenic	1.5 mg/m ³
7439-89-6	iron	3.2 mg/m ³
7782-49-2	selenium	0.6 mg/m ³
7440-66-6	zinc	6 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-50-8	copper	3 mg/m ³
7440-69-9	bismuth	15 mg/m ³
7440-55-3	gallium	30 mg/m ³
7440-09-7	potassium	2.3 mg/m ³
7439-93-2	lithium	3.3 mg/m ³

(Contd. on page 5)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 4)

7439-95-4	magnesium	18 mg/m ³
7439-96-5	manganese	3 mg/m ³
7439-98-7	molybdenum	30 mg/m ³
7440-23-5	sodium	13 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7440-17-7	rubidium	3.9 mg/m ³
7440-39-3	barium	1.5 mg/m ³
7440-24-6	strontium	30 mg/m ³
13494-80-9	tellurium	1.8 mg/m ³
7440-28-0	thallium	0.06 mg/m ³
7440-61-1	uranium	0.6 mg/m ³
7440-62-2	vanadium	3 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m ³
7440-22-4	silver	0.3 mg/m ³

· PAC-2:

7697-37-2	Nitric Acid	24 ppm
7440-42-8	boron	21 mg/m ³
7440-41-7	beryllium	0.025 mg/m ³
7440-38-2	Arsenic	17 mg/m ³
7439-89-6	iron	35 mg/m ³
7782-49-2	selenium	6.6 mg/m ³
7440-66-6	zinc	21 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-69-9	bismuth	170 mg/m ³
7440-55-3	gallium	330 mg/m ³
7440-09-7	potassium	25 mg/m ³
7439-93-2	lithium	36 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7439-96-5	manganese	5 mg/m ³
7439-98-7	molybdenum	330 mg/m ³
7440-23-5	sodium	140 mg/m ³
7440-02-0	nickel	50 mg/m ³
7439-92-1	lead	120 mg/m ³
7440-17-7	rubidium	43 mg/m ³
7440-39-3	barium	180 mg/m ³
7440-24-6	strontium	330 mg/m ³
13494-80-9	tellurium	20 mg/m ³
7440-28-0	thallium	3.3 mg/m ³
7440-61-1	uranium	5 mg/m ³
7440-62-2	vanadium	5.8 mg/m ³

(Contd. on page 6)

Trade name: STD- PERKINELMER PURE VI

		(Contd. of page 5)
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m ³
7440-22-4	silver	170 mg/m ³
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7440-42-8	boron	130 mg/m ³
7440-41-7	beryllium	0.1 mg/m ³
7440-38-2	Arsenic	100 mg/m ³
7439-89-6	iron	150 mg/m ³
7782-49-2	selenium	40 mg/m ³
7440-66-6	zinc	120 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-69-9	bismuth	990 mg/m ³
7440-55-3	gallium	2,000 mg/m ³
7440-09-7	potassium	150 mg/m ³
7439-93-2	lithium	220 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7439-98-7	molybdenum	2,000 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-02-0	nickel	99 mg/m ³
7439-92-1	lead	700 mg/m ³
7440-17-7	rubidium	260 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-24-6	strontium	2,000 mg/m ³
13494-80-9	tellurium	110 mg/m ³
7440-28-0	thallium	20 mg/m ³
7440-61-1	uranium	30 mg/m ³
7440-62-2	vanadium	35 mg/m ³
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m ³
7440-22-4	silver	990 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 7)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 6)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7697-37-2 Nitric Acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles or safety glasses

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 7)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Clear
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Solvent content:**

· Water:	93.7 %
· VOC content:	0.00 %

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

(Contd. on page 9)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 8)

- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7440-41-7	beryllium	I
7440-38-2	Arsenic	I
7782-49-2	selenium	3
7440-48-4	cobalt	2B
7440-47-3	chromium	3
7440-02-0	nickel	2B
7439-92-1	lead	2B
7440-43-9	cadmium (non-pyrophoric)	I

- **NTP (National Toxicology Program)**

7440-41-7	beryllium	K
7440-38-2	Arsenic	K
7440-48-4	cobalt	R
7440-02-0	nickel	R
7439-92-1	lead	R
7440-43-9	cadmium (non-pyrophoric)	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

7440-38-2	Arsenic
7440-43-9	cadmium (non-pyrophoric)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.

(Contd. on page 10)

Trade name: STD- PERKINELMER PURE VI




(Contd. of page 9)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Generally not hazardous for water
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of container and materials in accordance with local, regional and national regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	UN3264
· DOT, ADR, IMDG, IATA	
· UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· DOT, ADR	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)
· IMDG, IATA	
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances
· Label	8
· ADR	
	
· Class	8 (C1) Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances




(Contd. on page 11)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 10)

· Label	8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Stowage Category · Stowage Code	Warning: Corrosive substances A SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture			
7732-18-5	Water		93.717%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	6.1%
7440-70-2	calcium	 Water-react. 2, H261	0.1%
· Sara			
· Section 355 (extremely hazardous substances):			
7697-37-2	Nitric Acid		
13494-80-9	tellurium		
· Section 313 (Specific toxic chemical listings):			
7697-37-2	Nitric Acid		
7440-41-7	beryllium		
7440-38-2	Arsenic		
7782-49-2	selenium		
7440-66-6	zinc		
7440-48-4	cobalt		

(Contd. on page 12)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 11)

7440-47-3	chromium
7440-50-8	copper
7439-96-5	manganese
7440-02-0	nickel
7439-92-1	lead
7440-39-3	barium
7440-28-0	thallium
7440-62-2	vanadium
7440-43-9	cadmium (non-pyrophoric)
7429-90-5	aluminium
7440-22-4	silver

· TSCA (Toxic Substances Control Act):

7697-37-2	Nitric Acid
7440-70-2	calcium
7440-42-8	boron
7440-41-7	beryllium
7440-38-2	Arsenic
7439-89-6	iron
7782-49-2	selenium
7440-66-6	zinc
7440-48-4	cobalt
7440-47-3	chromium
7440-50-8	copper
7440-69-9	bismuth
7440-55-3	gallium
7440-09-7	potassium
7439-93-2	lithium
7439-95-4	magnesium
7439-96-5	manganese
7439-98-7	molybdenum
7440-23-5	sodium
7440-02-0	nickel
7439-92-1	lead
7440-17-7	rubidium
7440-39-3	barium
7440-24-6	strontium
13494-80-9	tellurium
7440-28-0	thallium
7440-61-1	uranium
7440-62-2	vanadium
7440-43-9	cadmium (non-pyrophoric)
7429-90-5	aluminium

(Contd. on page 13)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 12)

· **TSCA new (21st Century Act) (Substances not listed)**

· **Proposition 65**

· **Chemicals known to cause cancer:**

7440-41-7	beryllium
7440-38-2	Arsenic
7440-48-4	cobalt
7440-02-0	nickel
7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
7440-43-9	cadmium (non-pyrophoric)

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7440-42-8	boron	I (oral)
7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
7440-38-2	Arsenic	A
7782-49-2	selenium	D
7440-66-6	zinc	D, I, II
7440-47-3	chromium	D
7440-50-8	copper	D
7439-96-5	manganese	D
7439-92-1	lead	B2
7440-39-3	barium	D, CBD(inh), NL(oral)
7440-43-9	cadmium (non-pyrophoric)	B1
7440-22-4	silver	D

· **TLV (Threshold Limit Value established by ACGIH)**

7440-41-7	beryllium	A1
7440-38-2	Arsenic	A1
7440-48-4	cobalt	A3
7440-47-3	chromium	A4
7439-98-7	molybdenum	A3
7440-02-0	nickel	A5
7439-92-1	lead	A3
7440-39-3	barium	A4
7440-61-1	uranium	A1
7440-43-9	cadmium (non-pyrophoric)	A2
7429-90-5	aluminium	A4

(Contd. on page 14)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 13)

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-41-7	beryllium
7440-38-2	Arsenic
7440-02-0	nickel
7440-61-1	uranium
7440-43-9	cadmium (non-pyrophoric)

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard-determining components of labeling:**
Nitric Acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dusts or mists.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **National regulations:**
- **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Water hazard class:** Generally not hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Contact:

With in the USA: 1-(800)-762-4000

Out side the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 15)

Trade name: STD- PERKINELMER PURE VI

(Contd. of page 14)

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Liq. 2: Oxidizing liquids – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

USA